

Date		Colour	TSS	Conductivity	Alkalinity	Ca	Mg	Hardness				Chloride	Sulphate	Ortho-P	Total-P
Sampled	Lab No	(Hazen units)	(mg/l)	(uS/cm)	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(ug/l)	(ug/l)
26/06/2003	03-1774	70	6.51	70	2	1.51	1.27	9.00	0.33	0.09	0.17	12.53	2.74	<3	11
27/06/2003	03-1775	100	6.28	75	2	1.52	1.34	9.31	0.37	0.97	0.15	14.21	2.97	<3	<3
28/06/2003	03-1776	50	6.48	80	3	1.54	1.37	9.49	0.38	0.3	0.13	14.80	3.07	<3	<3
29/06/2003	03-1777	50	7.08	83		1.72	1.44	10.22	0.41	0.06	0.15	15.45	3.15	<3	<3
30/06/2003	03-1778	40	6.96	85		1.88	1.50	10.87	1.95	0.03	0.2	16.76	3.22	<3	<3
03/07/2003	03-1863	40	7.26	80	5	2.17	1.60	12.01	0.41	0.03	0.24	16.54	3.35	<3	12
04/07/2003	03-1864	50	7.10	79	5	2.17	1.58	11.92	0.42	0.06	0.27	16.46	3.44	<3	14
05/07/2003	03-1865	70	6.91	71	3	1.90	1.38	10.43	0.28	0.11	0.28	14.51	3.12	<3	14
06/07/2003	03-1866		6.74	47	3	1.39	1.03	7.71	0.28	0.11	0.14	7.63	4.73	1.5	12
07/07/2003	03-1867	70	6.67	72	3	1.89	1.44	10.65	0.34	<0.02	0.2	15.15	3.17	<3	20
08/07/2003	03-1868	100	6.58	68	3	1.82	1.35	10.10	0.36	0.02	0.19	14.07	3.01	<3	26
09/07/2003	03-1869	150	6.25	65	2	1.53	1.26	9.01	0.37	0.02	0.17	13.44	2.94	<3	14
11/07/2003	03-1976	100	6.94	145	3	1.41	1.28	8.79	0.32	0.08	0.18	15.04	3.36	<3	3
12/07/2003	03-1977	70	6.92	78		1.54	1.34	9.36	1.28	0.06	0.18	16.14	3.24	<3	3
13/07/2003	03-1978	70	6.77	84	4	1.72	1.44	10.22	2.07	0.09	0.21	17.55	3.35	<3	10
14/07/2003	03-1979	50	6.78	83	4	1.80	1.45	10.47	1.67	0.02	0.25	17.07	3.22	<3	<3
15/07/2003	03-1980		6.79	81	4	1.82	1.44	10.47	1.27	<0.02	0.27	16.12	3.30	<3	3
16/07/2003	03-1981	70	6.70	72	4	1.66	1.35	9.70	0.40	<0.02	0.25	14.99	3.34	<3	5
17/07/2003	03-1982	>150	6.23	71	2	1.41	1.23	8.59	0.58	0.02	0.2	13.51	3.45	<3	11
18/07/2003	03-2006	<150	5.61	59	1	1.16	1.06	7.26	0.58	0.16	0.1	11.20	2.46	6.9	13
19/07/2003	03-2007	<150	5.73	61	1	1.22	1.13	7.70	0.26	0.08	0.12	12.35	2.58	8.4	9
20/07/2003	03-2008		6.09	62	2	1.37	1.15	8.16	0.29	0.12	0.19	12.73	2.44	4.7	9
21/07/2003	03-2009	<150	6.00	62		1.33	1.19	8.22	0.27	0.07	0.13	12.69	2.41	6.6	10
22/07/2003	03-2010	<150	5.91	57	1	1.22	1.11	7.62	0.23	0.02	0.1	11.35	2.17	<3	9
23/07/2003	03-2011	<150	5.40	55	<1	1.08	1.05	7.02	0.19	0.02	0.07	10.29	2.09	<3	8
24/07/2003	03-2012	<150	6.39	70	1	0.93	0.95	6.23	0.30	<0.02	0.04	10.16	1.09	7.1	7
25/07/2003	03-2097	>150	5.58	60	1	1.14	1.08	7.29	0.26	0.13	<0.02	11.70	2.26	<3	12
26/07/2003	03-2098	>150	5.78	58	2	1.12	1.07	7.20	0.21	0.09	<0.02	11.60	2.27	<3	9
27/07/2003	03-2099	>150	5.93	59	2	1.35	1.14	8.07	0.29	0.09	<0.02	11.35	2.08	<3	9
28/07/2003	03-2100	>150	5.62	51	6	0.88	0.90	5.90	0.19	0.06	<0.02	9.06	1.68	<3	13
29/07/2003	03-2101	>150	5.44	48	<1	0.78	0.82	5.32	0.22	0.05	<0.02	8.57	1.69	<3	14
30/07/2003	03-2102	>150	5.51	52	<1	0.88	0.90	5.90	0.20	0.03	<0.02	9.99	1.99	<3	11
31/07/2003	03-2103	>150	5.51	51	43	0.91	0.88	5.90	0.20	<0.02	<0.02	8.94	1.75	<3	13
01/08/2003	03-2176	>150	6.46	57	2	1.12	1.02	7.00	0.21	0.22	0.11	11.26	2.42	<3	4
02/08/2003	03-2177	>150	6.34	58	2	1.14	1.05	7.17	0.24	0.23	0.11	11.13	2.33	<3	3
03/08/2003	03-2178		6.19	31	1	0.78	0.65	4.62	0.06	0.22	0.02	4.17	1.21	<3	9
04/08/2003	03-2179	>150	6.05	57	2	1.13	1.02	7.02	0.20	0.2	0.08	10.86	2.30	<3	3
05/08/2003	03-2180					0.54	0.14	1.92	0.90	0.51	0.14			<3	22
06/08/2003	03-2181	>150	6.14	62	<1	1.26	1.13	7.80	0.28	0.1	0.16	12.15	2.52	<3	3
07/08/2003	03-2182	70	7.73	64	2	1.36	1.21	8.38	0.28	0.08	0.25	12.47	2.60	<3	5
08/08/2003	03-2230	70	6.20	64	3	1.45	1.26	8.81	0.37	0.15	0.25	12.88	2.70	<3	9
09/08/2003	03-2231	70	6.39	67	4	1.76	1.38	10.08	0.37	0.06	0.24	13.60	2.82	<3	5
10/08/2003	03-2232	70	6.44	67	4	1.71	1.36	9.87	0.41	0.06	0.23	13.62	2.83	<3	11
11/08/2003	03-2233	70	6.49	66	3	1.54	1.30	9.20	0.38	0.19	0.23	13.28	2.76	<3	<3
12/08/2003	03-2234	50	6.50	68	4	1.82	1.39	10.27	0.37	<0.02	0.24	13.88	2.90	<3	8
13/08/2003	03-2235	70	6.50	65	3	1.58	1.33	9.42	0.37	0.13	0.25	13.12	2.73	<3	6
14/08/2003	03-2236	70	6.65	67	4	1.62	1.34	9.56	0.37	0.12	0.24	13.64	2.80	<3	5
16/08/2003	03-2273	70	6.33	45	4	1.71	1.33	9.75	0.38	0.08	0.2	12.86	2.97	<3	4
17/08/2003	03-2274								0.11	0.23				<3	10
18/08/2003	03-2275	70	6.40	42	3	1.66	1.28	9.42	0.36	0.02	0.21	12.36	3.00	<3	13
19/08/2003	03-2276	>150	5.94	38	1	1.34	1.14	8.04	0.34	0.02	0.15	10.45	3.00	<3	9
20/08/2003	03-2277	>150	6.27	43		1.67	1.29	9.48	0.40	0.08	0.29	12.28	3.25	<3	9
21/08/2003	03-2278	>150	6.11	35	2	1.29	1.07	7.63	0.26	<0.02	0.13	9.92	2.76	<3	9
22/08/2003	03-2279	50	7.16	34	4	1.47	1.10	8.20	0.27	0.13	0.17	9.46	2.36	<3	6
23/08/2003	03-2280	50	6.47	47	4	1.94	1.46	1046.00	0.40	0.02	0.26	13.96	3.01	<3	7

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)	
23/08/2003	03-2340	50	7.37	64		1.67	1.28	9.44	0.31	0.02	0.23	13.12	2.93	<3	6	
24/08/2003	03-2341	50	7.20	62	3	1.61	1.23	9.04	0.41	<0.02	0.2	12.38	2.88	<3	4	
25/08/2003	03-2342	50	7.09	62	3	1.62	1.25	9.19	0.27	0.02	0.22	12.63	2.89	<3	5	
26/08/2003	03-2343	50	6.99	67	3	1.68	1.31	9.59	0.34	0.03	0.25	13.52	3.03	<3	7	
27/08/2003	03-2344	50	6.93	67	4	1.70	1.31	9.64	0.31	<0.02	0.24	13.56	2.99	<3	6	
28/08/2003	03-2345	50	6.90	70	6	2.35	1.45	11.76	0.34	<0.02	0.22	13.67	3.01	<3	8	
29/08/2003	03-2435	30	7.61	37	3	1.08	0.69	5.54	0.98	0.09	0.09	6.62	1.87	<3	11	
30/08/2003	03-2436	40	7.33	71	5	1.99	1.40	10.73	0.41	0.05	0.25	14.44	3.14	<3	9	
31/08/2003	03-2437	40	7.22	70	5	2.02	1.39	10.77	0.57	0.04	0.26	14.15	2.97	<3	8	
01/09/2003	03-2438	40	7.15	72	5	2.04	1.40	10.86	0.41	0.04	0.25	14.31	3.00	<3	8	
02/09/2003	03-2439	50	7.09	44	3	1.33	0.95	7.23	0.24	0.06	0.14	8.12	2.13	<3	14	
03/09/2003	03-2440	40	7.00	48	3	1.30	0.96	7.20	0.26	0.06	0.15	8.32	2.10	<3	12	
04/09/2003	03-2441	40	6.95	45	3	1.38	0.91	7.19	0.28	0.05	0.13	8.38	2.10	<3	9	
05/09/2003	03-2482	70	6.22	59	3	1.70	1.24	9.35	0.45	0.09	0.23	12.05	2.94	<3	18	
06/09/2003	03-2483	100	6.17	59	2	1.46	1.21	8.63	0.34	0.07	0.17	12.13	3.28	<3	7	
07/09/2003	03-2484	>150	6.12	57	2	1.48	1.19	8.60	0.30	0.14	0.14	11.58	2.79	<3	20	
08/09/2003	03-2485	100	6.19	53	2	1.40	1.13	8.15	0.29	0.08	0.15	10.79	2.83	<3	5	
09/09/2003	03-2486	150	6.74	56	1	1.26	1.09	7.63	0.29	0.09	0.11	11.77	2.70	<3	7	
10/09/2003	03-2487		6.26	112	1	1.27	1.06	7.54	0.27	0.08	0.11	10.78	2.55	<3	10	
11/09/2003	03-2488		6.44	45	2	1.24	0.99	7.17	0.29	0.06	0.12	9.00	2.51	<3	4	
12/09/2003	03-2605		6.80	60		1.34	1.40	9.11	0.31	0.25	0.12	11.86	2.75	6.7	25	
13/09/2003	03-2606		6.35	51	2	1.16	0.98	6.93	0.27	0.09	0.09	10.16	2.19	<3	12	
14/09/2003	03-2607		6.62	64	1	1.11	0.94	6.64	0.26	0.1	0.08	10.00	2.44	<3	9	
15/09/2003	03-2608		6.31	49	1	1.13	0.94	6.69	0.23	0.08	0.08	9.89	2.40	<3	9	
16/09/2003	03-2609		6.14	56	2	1.27	1.04	7.45	0.29	0.06	0.13	11.56	2.69	<3	6	
19/09/2003	03-2617		6.68	55	2	1.25	1.02	7.32	0.33	0.11	0.11	11.03	2.53	<3	9	
20/09/2003	03-2618		6.27	58	2	1.25	1.08	7.57	0.29	0.06	0.15	11.84	3.10	<3	5	
21/09/2003	03-2619		6.18	48	2	1.10	0.94	6.62	0.22	0.04	0.12	9.44	2.53	<3	<3	
22/09/2003	03-2620		6.15	58	2	1.34	1.13	8.00	0.28	0.03	0.15	12.31	2.81	<3	5	
23/09/2003	03-2621		6.18	56	2	1.32	1.10	7.83	0.26	0.02	0.15	11.64	2.65	<3	3	
24/09/2003	03-2622		6.25	60	2	1.41	1.15	8.26	0.31	<0.02	0.18	12.82	3.12	<3	<3	
25/09/2003	03-2623		6.19	60	2	1.44	1.16	8.37	0.38	<0.02	0.18	12.56	2.66	<3	5	
26/09/2003	03-2697		6.36	59	2	1.44	1.16	8.37	0.31	0.02	0.17	12.15	2.61	<3	5	
27/09/2003	03-2698		6.33	54	2	1.28	1.05	7.52	0.40	0.02	0.14	10.87	2.32	<3	4	
28/09/2003	03-2699		6.28	53	2	1.28	1.04	7.48	0.50	<0.02	0.14	10.73	2.24	<3	4	
29/09/2003	03-2700		6.24	59	2	1.42	1.16	8.32	0.28	0.02	0.18	12.33	2.53	<3	4	
30/09/2003	03-2701		6.32	48	2	1.30	0.99	7.32	0.24	<0.02	0.14	9.07	2.12	<3	4	
01/10/2003	03-2702		6.30	43	2	1.14	0.88	6.47	0.21	<0.02	0.15	7.90	1.80	<3	<3	
02/10/2003	03-2703		6.30	63		1.56	1.21	8.88	0.32	<0.02	0.18	13.17	2.71	<3	4	
03/10/2003	03-2805	70	<2	7.71	65	4	1.74	1.29	9.66	0.30	<0.02	0.23	13.13	2.80	<3	6
04/10/2003	03-2806	100	<2	7.42	65	2	1.67	1.30	9.52	0.31	0.02	0.22	13.92	2.88	<3	5
05/10/2003	03-2807	150	<2	7.12	72	2	1.73	1.46	10.33	0.33	<0.02	0.2	15.76	2.96	<3	8
06/10/2003	03-2808	150	<2	6.65	75	1	1.66	1.55	10.53	0.33	<0.02	0.17	17.01	3.13	<3	5
07/10/2003	03-2809	150	2	6.37	73	1	1.57	1.45	9.89	0.32	0.02	0.17	16.10	3.00	<3	5
08/10/2003	03-2810	150	2	6.13	71	1	1.51	1.43	9.66	0.35	<0.02	0.16	16.05	2.82	<3	9
09/10/2003	03-2811	100	<2	6.53	64	4	1.71	1.31	9.66	0.30	<0.02	0.24	12.87	2.81	<3	5
10/10/2003	03-2850	100	<2	8.23	68	3	1.68	1.34	9.71	0.34	<0.02	0.23	14.82	2.94	<3	6
11/10/2003	03-2851	70	<2	7.82	67	2	1.60	1.33	9.47	0.34	<0.02	0.24	14.70	2.95	<3	4
12/10/2003	03-2852	70	2	7.54	67	3	1.61	1.33	9.50	0.34	<0.02	0.25	14.48	2.95	<3	3
13/10/2003	03-2853	70	<2	7.21	68	2	1.46	1.33	9.12	0.34	<0.02	0.21	15.06	2.90	<3	5
14/10/2003	03-2854	70		6.73	72		1.45	1.38	9.30	0.39	0.09	0.18	16.52	3.08	<3	6
15/10/2003	03-2855	70	<2	6.41	69	1	1.41	1.33	9.00	0.31	<0.02	0.18	15.91	3.16	<3	4
17/10/2003	03-2898	50	2	6.09	70	3	1.83	1.51	10.79	0.87	<0.02	0.28	15.31	3.14	<3	<3
18/10/2003	03-2899	50	<2	6.37	72	4	1.89	1.52	10.98	0.89	<0.02	0.29	14.96	3.11	<3	3
19/10/2003	03-2900	50	<2	6.32	72	3	1.78	1.49	10.58	0.40	<0.02	0.3	15.69	3.18	<3	6

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)	
20/10/2003	03-2901	50	<2	6.47	69	4	1.87	1.47	10.72	0.36	<0.02	0.31	14.51	2.91	<3	3
21/10/2003	03-2902	50	<2	6.51	69	4	1.82	1.46	10.56	0.36	<0.02	0.29	14.63	2.86	<3	<3
22/10/2003	03-2903	50	<2	6.57	71	4	1.94	1.53	11.14	0.39	<0.02	0.27	14.76	3.01	<3	3
23/10/2003	03-2904	50	<2	7.28	99	4	1.93	1.50	11.00	0.36	<0.02	0.3	14.59	2.97	<3	<3
25/10/2003	03-2998		<2	6.71	70		1.88	1.45	10.67	0.37	<0.02	0.26	14.26	3.20	<3	3
26/10/2003	03-2999	50	<2	6.35	72	3	1.88	1.47	10.75	0.36	<0.02	0.27	14.99	3.45	<3	<3
27/10/2003	03-3000	40	5	6.40	61	3	1.67	1.25	9.32	0.45	<0.02	0.26	11.85	2.84	<3	11
28/10/2003	03-3001	50	<2	6.48	72	4	1.87	1.44	10.60	0.38	<0.02	0.32	14.89	3.34	<3	4
01/11/2003	03-3121	70	<2	5.68	60	<1	1.04	1.06	6.96	0.36	<0.02	0.16	12.30	2.87	<3	<3
02/11/2003	03-3122	70	<2	5.30	64	<1	1.05	1.13	7.28	0.46	<0.02	0.15	13.92	2.95	<3	<3
03/11/2003	03-3123	>150	<2	5.28	66	<1	1.15	1.17	7.69	0.36	<0.02	0.16	14.34	3.15	<3	<3
04/11/2003	03-3124		<2	5.29	70	<1	1.23	1.28	8.34	0.42	<0.02	0.17	15.56	3.24	<3	<3
05/11/2003	03-3125	>150	<2	5.36	67	<1	1.30	1.25	8.39	0.43	<0.02	0.19	14.96	3.23	<3	5
06/11/2003	03-3126	>150	<2	5.32	68	<1	1.21	1.25	8.17	0.39	<0.02	0.21	15.23	3.31	<3	<3
07/11/2003	03-3127		<2	5.58	68	1	1.27	1.24	8.28	0.39	<0.02	0.22	14.95	3.30	<3	3
08/11/2003	03-3186	70	<2	5.68	66	1	1.33	1.27	8.55	0.39	<0.02	0.23	14.65	3.30	<3	7
09/11/2003	03-3187	>150	7	5.19	57	<1	0.93	0.95	6.23	0.43	0.03	0.16	11.50	2.82	<3	13
10/11/2003	03-3188	>150	3	5.74	65	1	1.34	1.25	8.49	0.44	0.02	0.24	14.19	3.22	<3	7
11/11/2003	03-3189	>150	2	5.40	60	1	1.04	1.04	6.88	0.39	0.02	0.16	12.59	2.89	<3	9
12/11/2003	03-3190	>150	3	5.29	60	<1	1.05	1.06	6.99	0.69	0.02	0.17	12.80	2.98	<3	10
13/11/2003	03-3191	>150	<2	5.37	58	<1	1.04	1.02	6.80	0.38	0.02	0.16	12.20	2.76	<3	9
14/11/2003	03-3192	>150	<2	5.49	66	1	1.22	1.22	8.07	0.44	0.02	0.2	14.50	3.50	<3	7
15/11/2003	03-3248	100	2	8.15	57	<1	0.99	1.01	6.63	0.36	<0.02	0.11	11.40	2.82	<3	5
16/11/2003	03-3249		3	7.30	47	<1	0.96	0.87	5.98	0.31	0.02	0.1	9.12	2.29	<3	8
17/11/2003	03-3250	100	3	6.51	60	2.5	1.05	1.05	6.95	0.96	<0.02	0.13	12.35	2.91	<3	3
18/11/2003	03-3251	100	<2	5.89	58	<1	0.95	0.97	6.37	0.64	<0.02	0.12	11.62	2.66	<3	6
19/11/2003	03-3252		7	5.53	60	<1	1.61	0.98	8.06	0.46	0.04	0.11	12.90	2.65	<3	13
20/11/2003	03-3253	100	<2	5.48	60	<1	1.09	1.08	7.17	0.50	<0.02	0.14	12.35	2.90	<3	4
21/11/2003	03-3254	100	<2	5.51	61	<1	1.13	1.10	7.35	0.56	<0.02	0.15	12.74	3.02	<3	5
22/11/2003	03-3305	>150	<2	5.88	59	<1	1.06	1.12	7.26	0.38	<0.02	0.19	12.67	2.77	<3	5
23/11/2003	03-3306	>150	2	5.66	54	<1	0.96	0.98	6.43	0.40	<0.02	0.14	11.36	2.47	<3	10
24/11/2003	03-3307	150	<2	5.57	60	7.2	1.08	1.13	7.35	0.36	<0.02	0.19	12.83	2.93	<3	5
29/11/2003	03-3402	100	<2	5.62	51	<1	0.89	0.86	5.76	0.32	0.02	0.16	10.50	2.60	<3	5
30/11/2003	03-3403	150	4	5.29	54	<1	0.90	0.91	5.99	0.49	<0.02	0.17	10.98	2.45	<3	5
01/12/2003	03-3404	100	<2	5.35	56	<1	0.99	0.98	6.51	0.33	0.53	0.2	11.65	2.71	<3	3
02/12/2003	03-3405	70	<2	5.52	59	<1	1.06	1.03	6.89	0.38	0.02	0.22	12.06	2.78	<3	3
03/12/2003	03-3406	70	4	5.93	62	2	1.27	1.08	7.62	0.64	0.15	0.28	12.68	3.02	<3	16
04/12/2003	03-3407	70	<2	5.93	60	<1	1.17	1.10	7.45	0.47	<0.02	0.26	12.53	3.06	<3	<3
05/12/2003	03-3408	70	<2	6.02	60	1	1.23	1.13	7.72	0.40	<0.02	0.26	12.56	2.95	<3	3
06/12/2003	03-3434	70	<2	7.02	60	2	1.27	1.14	7.87	0.38	<0.02	0.29	12.59	2.96	<3	3
07/12/2003	03-3435	70	4	6.72	65	3	1.35	1.22	8.39	0.40	0.28	0.28	13.03	3.30	12.0	36
08/12/2003	03-3436		2	6.65	59	2	1.35	1.17	8.19	0.36	<0.02	0.3	12.35	3.33	<3	<3
09/12/2003	03-3437	50	<2	6.58	63	2	1.45	1.21	8.60	0.38	<0.02	0.29	13.23	3.29	<3	3
10/12/2003	03-3438	70	3	6.16	47	<1	1.02	0.83	5.96	0.37	0.03	0.23	9.28	2.68	<3	12
11/12/2003	03-3439	100	2	5.87	52	<1	1.00	0.87	6.08	0.36	0.02	0.2	10.16	2.81	<3	9
12/12/2003	03-3440	100	<2	5.61	45	<1	0.84	0.72	5.06	0.34	<0.02	0.17	8.77	2.70	<3	7
13/12/2003	03-3498		2	7.04	52	<1	1.00	0.94	6.37	0.36	<0.02	0.18	10.07	2.58	<3	5
14/12/2003	03-3499		2	6.52	56	<1	1.11	1.03	7.01	0.35	<0.02	0.21	11.34	2.74	<3	4
15/12/2003	03-3500		3	6.22	58	<1	1.18	1.09	7.44	0.35	<0.02	0.24	12.02	3.11	<3	<3
16/12/2003	03-3501		<2	6.14	58	1	1.22	1.10	7.58	0.38	<0.02	0.25	12.11	2.89	<3	7
17/12/2003	03-3502		2	6.17	59	1	1.29	1.14	7.92	0.58	<0.02	0.27	12.42	3.14	<3	5
18/12/2003	03-3503		5	6.00	55	1	1.17	1.04	7.20	0.46	<0.02	0.22	11.17	2.88	<3	10
19/12/2003	03-3504		3	6.12	60	2	1.37	1.18	8.28	0.45	<0.02	0.26	12.74	3.11	<3	4
20/12/2003	04-13	150	4	6.11	52	<1	0.99	0.99	6.55	0.66	<0.02	0.19	11.28	2.88	<3	8
21/12/2003	04-14	150	<2	5.41	66	<1	1.18	1.2	7.89	0.42	<0.02	0.22	13.64	3.33	<3	6

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)	
27/12/2003	04-105	70	3	8.20	61	<1	1.11	1.13	7.43	0.84	<0.02	0.17	13.62	2.57	<3	4
28/12/2003	04-106	-	2	7.17	61	<1	1.04	1.07	7.00	0.46	<0.02	0.18	13.62	2.53	<3	4
29/12/2003	04-107	-	<2	6.52	61	<1	1.04	1.08	7.04	0.45	<0.02	0.17	13.68	2.5	<3	<3
30/12/2003	04-108	-	<2	5.76	55	<1	0.83	0.90	5.78	0.41	<0.02	0.14	11.90	2.43	<3	8
31/12/2003	04-109	-	<2	5.53	40	-	0.75	0.77	5.04	0.41	<0.02	0.11	7.99	2.01	<3	5
01/01/2004	04-110	-	<2	5.35	64	1	1.13	1.17	7.64	0.45	<0.02	0.18	14.52	2.62	<3	4
10/01/2004	04-193	70	2	5.92	72	<1	1.22	1.31	8.44	0.68	<0.02	0.19	16.81	3.75	<3	<3
11/01/2004	04-194	70	2	5.25	84	<1	1.29	1.57	9.69	0.73	<0.02	0.16	20.24	3.51	<3	5
12/01/2004	04-195	70	<2	4.97	80	<1	1.20	1.46	9.01	0.52	<0.02	0.17	11.19	2.51	<3	4
13/01/2004	04-196	50	2	6.46	82	<1	1.27	1.55	9.55	0.52	<0.02	0.19	20.20	4.04	<3	<3
14/01/2004	04-197	50	2	4.88	81	<1	1.21	1.50	9.20	0.53	<0.02	0.16	19.96	3.76	<3	4
15/01/2004	04-198	50	<2	4.95	75	<1	1.21	1.39	8.75	0.47	<0.02	0.16	18.21	3.25	<3	3
16/01/2004	04-199	50	6	5.10	71	<1	1.16	1.33	8.37	0.43	<0.02	0.21	16.93	3.13	<3	<3
17/01/2004	04-282	50	10	5.65	73	<1	1.23	1.40	8.84	0.46	<0.02	0.23	16.68	3.28	<3	<3
18/01/2004	04-283	50	<2	5.47	58	<1	1.06	1.17	7.46	0.45	<0.02	0.18	13.22	3.68	<3	<3
19/01/2004	04-284	50	4	5.45	77	<1	1.44	1.53	9.90	0.47	0.02	0.24	18.32	3.39	<3	3
20/01/2004	04-285	50	4	5.46	77	<1	1.46	1.52	9.90	0.67	0.02	0.24	18.32	3.18	<3	<3
21/01/2004	04-286	50	3	7.38	82	<1	1.30	1.40	9.01	0.75	0.02	0.2	18.13	6.98	<3	<3
22/01/2004	04-287	50	5	6.72	73	<1	1.30	1.39	8.97	0.45	0.02	0.21	17.00	3.16	<3	<3
23/01/2004	04-288	50	3	4.43	90	<1	1.30	1.39	8.97	0.46	<0.02	0.21	16.96	3.40	<3	<3
24/01/2004	04-395	70	<2	5.26	76	<1	1.31	1.45	9.24	0.46	0.02	0.22	16.81	3.17	<3	<3
25/01/2004	04-396	70	9	5.44	75	<1	1.38	1.47	9.50	0.50	0.03	0.25	16.98	3.21	<3	<3
26/01/2004	04-397	-	2	5.56	74	<1	1.37	1.48	9.52	0.47	0.02	0.28	16.92	3.19	<3	<3
06/02/2004	04-538	50	<2	8.35	71	<1	1.30	1.34	8.76	0.41	<0.02	0.20	16.81	2.95	<3	<3
07/02/2004	04-539	50	<2	7.75	73	<1	1.31	1.37	8.91	0.41	<0.02	0.23	17.57	3.07	<3	<3
08/02/2004	04-540	40	<2	7.42	77	<1	1.52	1.52	10.05	0.44	<0.02	0.25	18.93	3.31	<3	<3
09/02/2004	04-541	50	2	7.11	70	<1	1.31	1.32	8.71	0.40	<0.02	0.25	17.02	2.97	<3	<3
10/02/2004	04-542	40	<2	6.86	81	<1	1.69	1.61	10.85	0.54	<0.02	0.25	20.16	3.44	<3	<3
11/02/2004	04-543	40	<2	6.73	74	<1	1.55	1.46	9.88	0.42	<0.02	0.26	18.10	3.18	<3	<3
12/02/2004	04-544	40	<2	6.62	74	<1	1.54	1.43	9.73	0.41	<0.02	0.27	17.55	3.18	<3	<3
14/02/2004	04-654	-	<2	6.19	74	<1	1.51	1.46	9.78	0.47	<0.02	0.27	17.66	3.36	<3	24
15/02/2004	04-655	-	<2	6.32	72	2.2	1.67	1.46	10.18	0.46	<0.02	0.30	16.42	3.36	<3	<3
16/02/2004	04-656	-	<2	6.36	72	1.6	1.62	1.45	10.02	0.54	<0.02	0.28	16.52	3.28	<3	<3
17/02/2004	04-657	30	<2	6.42	71	2.3	1.71	1.45	10.24	0.47	<0.02	0.29	16.22	3.30	<3	<3
18/02/2004	04-658	40	2	6.36	71	1.1	1.49	1.42	9.57	0.44	<0.02	0.27	17.42	3.39	<3	<3
19/02/2004	04-659	30	2	6.43	73	2.7	1.76	1.46	10.41	0.58	0.05	0.31	16.43	3.49	<3	<3
20/02/2004	04-660	40	<2	6.41	72	1.5	1.56	1.45	9.87	0.53	<0.02	0.27	16.62	3.28	<3	<3
21/02/2004	04-661	40	<2	6.39	72	1.5	1.60	1.45	9.97	0.46	<0.02	0.28	16.69	3.31	<3	<3
22/02/2004	04-682	30	<2	7.25	73	2.9	1.83	1.46	10.58	0.45	<0.02	0.30	16.10	3.47	<3	<3
23/02/2004	04-683	-	<2	7.11	74	2.9	1.92	1.48	10.89	0.43	<0.02	0.31	16.15	3.36	<3	<3
24/02/2004	04-684	40	2	7.02	73	3.0	1.91	1.46	10.78	0.44	<0.02	0.30	16.14	3.36	<3	<3
25/02/2004	04-685	40	2	6.78	84	1.4	2.00	1.66	11.83	0.53	<0.02	0.36	19.85	3.89	<3	<3
26/02/2004	04-686	40	<2	6.70	82	1.3	1.90	1.63	11.46	0.51	<0.02	0.32	19.46	4.13	<3	<3
27/02/2004	04-687	40	<2	7.03	78	<1	1.75	1.69	11.33	0.55	<0.02	0.29	20.61	3.93	<3	<3
28/02/2004	04-688	50	2	7.12	87	<1	1.68	1.79	11.57	0.58	<0.02	0.29	21.71	4.05	<3	<3
29/02/2004	04-816	50	<2	6.70	88	<1	1.60	1.75	11.20	0.58	<0.02	0.33	21.10	4.94	<3	<3
01/03/2004	04-817	40	<2	6.48	90	<1	1.60	1.78	11.33	0.63	0.03	0.29	22.00	4.12	<3	<3
02/03/2004	04-818	-	-	6.35	89	-	1.65	1.72	11.20	0.57	<0.02	0.28	22.05	5.81	<3	<3
06/03/2004	04-909	50	2	6.96	64	<1	1.15	1.16	7.65	0.40	<0.02	0.38	13.06	3.32	<3	5
07/03/2004	04-910	50	2	6.01	65	<1	0.99	1.10	7.00	0.56	0.05	0.38	13.05	3.48	<3	7
08/03/2004	04-911	30	<2	6.20	77	2.2	1.76	1.55	10.78	0.33	<0.02	0.28	16.74	3.93	<3	<3
09/03/2004	04-912	30	<2	6.24	74	2.0	1.63	1.48	10.16	0.34	<0.02	0.26	16.07	3.38	<3	<3
10/03/2004	04-913	30	<2	6.17	76	1.5	1.61	1.49	10.16	0.36	<0.02	0.26	17.35	3.60	<3	4
11/03/2004	04-914	30	<2	6.10	78	1.1	1.57	1.53	10.22	0.38	<0.02	0.26	17.90	3.62	<3	<3
12/03/2004	04-915	-	<2	5.68	79	<1	1.53	1.52	10.08	0.43	<0.02	0.26	18.29	3.68	<3	3

Date Sampled		Colour (Hazen units)	TSS (mg/l)	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)	
13/03/2004	04-950	70	4	7.80	59	<1	0.96	0.99	6.47	0.45	0.04	0.21	12.07	2.51	<3	9
14/03/2004	04-951	70	2	7.13	65	<1	1.13	1.15	7.56	0.45	0.02	0.19	14.05	2.94	<3	8
15/03/2004	04-952	70	3	6.46	69	<1	1.13	1.18	7.68	0.46	<0.02	0.15	15.09	2.76	<3	5
16/03/2004	04-953	70	4	5.69	65	<1	1.02	1.09	7.04	0.42	<0.02	0.14	14.38	2.72	<3	6
17/03/2004	04-954	50	3	5.41	68	<1	1.16	1.17	7.71	0.40	<0.02	0.18	15.20	2.85	<3	4
18/03/2004	04-955	50	4	5.17	65	<1	1.01	1.09	7.01	0.58	<0.02	0.12	14.35	2.50	<3	8
19/03/2004	04-956	-	7	5.01	62	<1	0.92	1.00	6.42	0.39	<0.02	0.13	13.42	2.53	<3	6
20/03/2004	04-1038	-	7	7.06	75	<1	1.15	1.33	8.35	0.50	<0.02	0.13	16.73	3.04	<3	4
21/03/2004	04-1039	-	2	6.46	86	<1	1.35	1.59	9.92	0.48	<0.02	0.15	20.40	3.66	<3	3
22/03/2004	04-1040	-	3	6.36	87	<1	1.37	1.60	10.01	0.51	0.02	0.17	20.95	3.85	<3	3
23/03/2004	04-1041	-	2	5.96	83	<1	1.36	1.55	9.78	0.47	<0.02	0.19	19.66	3.65	<3	5
24/03/2004	04-1042	-	2	5.67	81	<1	1.32	1.48	9.39	0.46	<0.02	0.18	18.97	3.46	<3	3
25/03/2004	04-1043	-	3	5.49	82	<1	1.44	1.49	9.73	0.83	<0.02	0.19	19.18	3.52	<3	3
26/03/2004	04-1044	-	2	5.52	78	<1	1.38	1.44	9.38	0.45	0.02	0.20	18.47	3.51	<3	<3
27/03/2004	04-1194	-	2	5.70	80	<1	1.45	1.52	9.88	0.32	<0.02	0.18	18.20	3.28	<3	<3
28/03/2004	04-1195	-	<2	5.60	80	<1	1.49	1.52	9.98	0.31	<0.02	0.19	18.47	3.43	<3	<3
29/03/2004	04-1196	-	<2	5.73	78	<1	1.50	1.49	9.88	0.31	<0.02	0.19	18.26	3.39	<3	<3
02/04/2004	04-1255	-	<2	6.13	70	<1	1.24	1.29	8.41	0.47	0.03	0.18	16.25	2.87	<3	6
03/04/2004	04-1256	-	<2	5.62	71	<1	1.22	1.30	8.40	0.45	0.03	0.16	13.27	2.27	<3	6
04/04/2004	04-1257	-	<2	5.34	76	<1	1.30	1.41	9.05	0.45	0.02	0.16	18.29	3.06	<3	4
05/04/2004	04-1258	-	<2	5.27	80	<1	1.42	1.51	9.76	0.47	0.02	0.19			<3	4
06/04/2004	04-1259	-		5.36	80	<1	1.43	1.53	9.87	0.45	<0.02	0.18	19.92	3.49	<3	<3
07/04/2004	04-1260	-	<2	5.45	79	<1	1.46	1.53	9.95	0.46	<0.02	0.20	19.31	3.49	<3	6
08/04/2004	04-1261	-	<2	5.38	79	<1	1.44	1.50	9.77	0.42	<0.02	0.16	18.91	3.15	<3	4
10/04/2004	04-1320	-	<2	6.20	73	<1	1.36	1.41	9.20	0.40		0.15	17.37	2.70	<3	<3
11/04/2004	04-1321	-	<2	5.84	71	<1	1.33	1.34	8.84	0.39		0.15	16.69	2.73	<3	4
12/04/2004	04-1322	-	2	5.44	66	<1	1.13	1.22	7.85	0.38		0.13	15.15	2.40	<3	4
13/04/2004	04-1323	-	<2	5.37	69	<1	1.23	1.30	8.42	0.43		0.14	16.26	2.80	<3	4
14/04/2004	04-1324	-	2	5.41	79	<1	1.59	1.52	10.23	0.44		0.16	19.13	3.09	<3	<3
15/04/2004	04-1325	-	<2	5.39	78	<1	1.41	1.50	9.70	0.42		0.15	18.80	2.94	<3	<3
16/04/2004	04-1463	70	3	6.26	65	<1	1.20	1.17	7.81	0.36	0.02	0.15	14.45	2.66	<3	7
17/04/2004	04-1464	100	<2	5.6	59	<1	0.94	0.96	6.30	0.36	0.03	0.11	13.20	2.53	<3	9
18/04/2004	04-1465	70	<2	5.35	65	<1	1.13	1.11	7.39	0.64	0.02	0.13	15.09	2.66	<3	6
19/04/2004	04-1466	70	<2	5.35	67	<1	1.18	1.24	8.05	0.39	<0.02	0.14	15.51	2.56	<3	6
20/04/2004	04-1467	100	2	5.17	67	<1	1.11	1.22	7.80	0.39	0.02	0.11	15.74	2.48	<3	8
21/04/2004	04-1468	70	<2	5.06	67	<1	1.13	1.21	7.80	0.35	0.02	0.12	15.61	2.68	<3	6
22/04/2004	04-1469	-	<2	5.25	66	<1	1.19	1.22	8.00	0.33	<0.02	0.12	15.41	2.58	<3	5
24/04/2004	04-1470	70	<2	5.54	72	<1	1.35	1.34	8.89	0.38	0.03	0.18	19.17	3.16	<3	7
25/04/2004	04-1471	-	<2	5.38	67	<1	1.35	1.30	8.72	0.39	0.02	0.17	24.98	3.80	<3	6
26/04/2004	04-1472	70	<2	5.46	69	<1	1.31	1.28	8.54	0.36	<0.02	0.15	16.09	2.91	<3	6
30/04/2004	04-1567	-	<2	6.01	72	1.4	1.51	1.38	9.45	0.39	<0.02	0.18	17.24	2.68	<3	<3
01/05/2004	04-1568	50	<2	6.1	72	1.7	1.58	1.38	9.63	0.40	<0.02	0.18	16.78	2.90	<3	3
02/05/2004	04-1569	50	<2	6.17	72	2.1	1.63	1.42	9.92	0.40	<0.02	0.19	16.70	2.77	<3	3
03/05/2004	04-1570	-	<2	5.68	78	<1	1.48	1.49	9.83	0.47	<0.02	0.14	19.18	2.84	<3	6
04/05/2004	04-1571	-	<2	5.44	99	<1	1.72	1.98	12.45	0.51	<0.02	0.14	24.69	3.56	<3	3
05/05/2004	04-1572	50	<2	5.23	92	<1	1.63	1.78	11.40	0.47	<0.02	0.15	23.18	3.34	<3	3
06/05/2004	04-1573	-	<2	2.89	688	<1	1.64	1.76	11.34	0.43	<0.02	0.13	22.88	3.23	<3	<3
07/05/2004	04-1646	-	<2	6.13	86	<1	1.51	1.66	10.61	0.40	<0.02	0.15	20.33	3.17	<3	<3
08/05/2004	04-1647	-	<2	7	84	<1	1.47	1.62	10.34	0.39	<0.02	0.16	18.80	3.14	<3	<3
09/05/2004	04-1648	-	<2	6.69	79	<1	1.50	1.59	10.29	0.38	<0.02	0.18	18.48	3.03	<3	3
10/05/2004	14-1649	-	<2	6.57	78	1.3	1.54	1.59	10.39	0.37	<0.02	0.19	18.21	3.00	<3	<3
11/05/2004	04-1650	-	<2	6.49	78	1.5	1.59	1.59	10.52	0.41	<0.02	0.18	17.97	3.45	<3	<3
12/05/2004	04-1651	-	<2	6.47	78	2.2	1.66	1.61	10.78	0.40	<0.02	0.18	18.07	3.03	<3	<3
13/05/2004	04-1652	-	2	6.44	78	2.3	1.71	1.61	10.90	0.39	<0.02	0.19	17.30	2.96	<3	4
14/05/2004	04-1760	40	<2	6.28	78	2.5	1.79	1.55	10.85	0.38	0.48	0.18	17.75	3.17	<3	<3

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)	
15/05/2004	04-1761	-	<2	6.34	78	3.1	1.78	1.55	10.83	0.37	<0.02	0.19	17.68	3.07	<3	<3
16/05/2004	04-1762	-	<2	6.38	77	2.8	1.88	1.59	11.24	0.38	<0.02	0.20	17.59	3.12	<3	<3
17/05/2004	04-1763	40	<2	6.41	76	3.1	1.85	1.55	11.00	0.36	<0.02	0.18	17.08	3.06	<3	<3
18/05/2004	04-1764	40	<2	6.43	79	3.3	1.89	1.58	11.23	0.38	0.03	0.21	17.42	3.08	<3	<3
19/05/2004	04-1765	-	<2	6.45	79	3.5	1.97	1.58	11.43	0.38	0.10	0.21	17.58	3.12	<3	<3
20/05/2004	04-1766	30	<2	6.48	78	3.8	2.00	1.55	11.38	0.36	0.10	0.19	16.84	3.04	<3	<3
21/05/2004	04-1767	-	2	6.52	81	4.1	2.08	1.61	11.82	0.39	0.51	0.21	17.42	3.20	<3	<3
22/05/2004	04-1768	30	<2	6.55	80	4.4	2.14	1.63	12.06	0.40	0.02	0.22	17.34	3.20	<3	<3
23/05/2004	04-1769	30	<2	6.57	79	4.7	2.18	1.63	12.16	0.40	<0.02	0.22	17.26	3.19	<3	<3
28/05/2004	04-1876	30	2	8.12	83	5.2	2.39	1.71	13.01	0.50	<0.02	0.20	17.60	3.15	<3	<3
29/05/2004	04-1877	50	<2	7.86	85	4.3	2.42	1.72	13.13	0.51	0.03	0.26	18.27	3.25	<3	<3
30/05/2004	04-1878	-	<2	7.66	83	4.3	2.42	1.69	13.00	0.69	<0.02	0.24	17.64	3.20	<3	5
31/05/2004	04-1879	-	<2	7.52	83	5.0	2.37	1.72	13.00	0.48	<0.02	0.25	17.68	3.19	<3	<3
01/06/2004	04-1880	-	<2	7.41	84	4.7	2.35	1.71	12.91	0.57	<0.02	0.25	18.17	3.25	<3	<3
02/06/2004	04-1881	-	<2	7.3	84	5.2	2.39	1.72	13.05	0.48	0.02	0.25	17.44	3.11	<3	<3
03/06/2004	04-1882	40	2	7.24	90	11.4	2.45	1.74	13.28	0.48	0.02	0.28	17.58	3.14	<3	<3
04/06/2004	04-1998	-	2	6.83	83	3.7	2.43	1.75	13.27	0.49	<0.02	0.34	17.25	3.13	<3	<3
05/06/2004	04-1999	-	<2	6.82	83	3.7	2.38	1.68	12.86	0.47	<0.02	0.32	17.47	3.20	<3	<3
06/06/2004	04-2000	-	<2	6.84	83	3.8	2.40	1.68	12.91	0.45	<0.02	0.29	17.37	3.15	<3	<3
07/06/2004	04-2001	-	<2	6.76	83	5.3	2.44	1.70	13.09	0.45	<0.02	0.27	17.74	3.21	<3	<3
08/06/2004	04-2002	-	<2	6.8	83	4.3	2.47	1.70	13.17	0.46	<0.02	0.28	17.75	3.26	<3	<3
09/06/2004	04-2003	-	4	6.75	84	4.4	2.43	1.70	13.07	0.51	<0.02	0.33	18.16	3.28	<3	<3
10/06/2004	04-2004	-	<2	5.41	82	2.1	2.14	1.73	12.47	0.59	0.03	0.40	18.4	3.54	5.0	7
11/06/2004	04-2005	-	<2	5.85	84	2.1	2.09	1.74	12.38	0.54	<0.02	0.29	18.47	3.59	<3	6
12/06/2004	04-2006	-	<2	6.09	84	3.1	2.11	1.73	12.39	0.54	<0.02	0.25	18.2	3.46	<3	7
13/06/2004	04-2007	-	<2	6.25	84	3.8	2.20	1.75	12.70	0.54	<0.02	0.25	17.91	3.35	<3	4
14/06/2004	04-2008	-	<2	6.38	84	4.9	2.29	1.79	13.09	0.62	<0.02	0.26	17.53	3.32	<3	4
15/06/2004	04-2009	-	<2	6.45	84	4.4	2.36	1.79	13.26	0.54	0.03	0.31	17.84	3.20	<3	6
16/06/2004	04-2010	-	3	6.49	83	4.5	2.36	1.78	13.22	0.53	<0.02	0.31	17.77	3.20	<3	4
17/06/2004	04-2011	-	3	6.48	83	3.3	2.38	1.80	13.36	0.58	<0.02	0.32	18.16	3.21	<3	10
18/06/2004	04-2059	-	<2	5.67	84	3.1	2.18	1.79	12.81	0.47	<0.02	0.28	17.99	3.13	<3	4
19/06/2004	04-2060	-	<2	5.99	84	3.5	2.17	1.79	12.79	0.48	<0.02	0.27	18.21	3.10	<3	<3
20/06/2004	04-2061	-	<2	6.14	85	3.5	2.13	1.78	12.65	0.50	<0.02	0.28	18.21	3.14	<3	<3
25/06/2004	04-2197	-	<2	5.27	76	<1	1.47	1.36	9.27	0.43	<0.02	0.17	16.15	3.21	<3	14
26/06/2004	04-2198	-	<2	5	72	<1	1.33	1.29	8.63	0.41	0.02	0.17	15.65	3.13	<3	8
27/06/2004	04-2199	>150	<2	6.33	71	<1	1.42	1.32	8.98	1.36	<0.02	0.14	15.87	3.04	<3	<3
28/06/2004	04-2200	>150	<2	5.13	71	<1	1.37	1.31	8.82	0.37	0.03	0.15	15.52	25.85	<3	9
29/06/2004	04-2201	-	<2	5.14	73	<1	1.44	1.36	9.20	0.38	0.02	0.14	15.87	2.93	<3	<3
30/06/2004	04-2202	-	2	5.22	74	<1	1.44	1.34	9.11	0.35	<0.02	0.13	16.54	2.96	<3	10
01/07/2004	04-2203	-	<2	5.28	74	<1	1.48	1.41	9.50	0.32	0.03	0.11	16.56	2.62	<3	10
02/07/2004	04-2204	>150	<2	5.18	72	<1	1.41	1.36	9.12	0.32	<0.02	0.11	16.10	2.76	<3	7
03/07/2004	04-2205	-	<2	5.13	76	<1	1.42	1.42	9.39	0.35	0.02	0.17	17.06	2.89	<3	7
04/07/2004	04-2206	100	<2	5.3	76	<1	1.44	1.39	9.32	0.34	0.02	0.12	17.08	2.93	<3	7
05/07/2004	04-2207	-	<2	5.51	74	<1	1.42	1.38	9.23	0.41	0.02	0.11	16.99	2.97	<3	3
06/07/2004	04-2208	-	<2	5.7	74	1.6	1.47	1.41	9.48	0.46	<0.02	0.09	16.95	3.00	<3	10
07/07/2004	04-2209	-	<2	5.84	75	1.7	1.55	1.42	9.72	0.34	<0.02	0.11	16.80	3.02	<3	6
08/07/2004	04-2210	70	<2	5.91	76	1.8	1.65	1.49	10.26	0.48	<0.02	0.15	17.10	3.00	<3	7
09/07/2004	04-2277	70	2	7.12	75	2.2	1.63	1.46	10.08	0.38	<0.02	0.13	N/A	N/A	<3	6
10/07/2004	04-2278	100	2	6.82	73	1.2	1.57	1.43	9.81	0.38	<0.02	0.15	N/A	N/A	<3	8
11/07/2004	04-2279	-	<2	6.64	74	1.7	1.61	1.44	9.95	0.37	<0.02	0.12	16.49	2.86	<3	6
12/07/2004	04-2280	-	2	6.48	72	1.7	1.62	1.43	9.93	0.49	<0.02	0.13	16.04	3.73	<3	6
13/07/2004	04-2281	-	2	6.1	71	<1	1.55	1.39	9.59	0.35	<0.02	0.14	15.51	2.61	<3	10
16/07/2004	04-2282	>150	<2	5.77	64	<1	1.34	1.22	8.37	0.41	<0.02	0.13	13.20	2.15	<3	9
17/07/2004	04-2283	100	<2	5.35	72	1.3	1.53	1.56	10.24	0.34	<0.02	0.11	16.10	2.72	<3	9
18/07/2004	04-2284	-	<2	5.25	80	1.3	1.55	1.58	10.38	0.34	<0.02	0.13	16.50	3.11	<3	7

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	pH	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)
19/07/2004	04-2285	-	<2	5.57	71	1.7	1.52	1.53	10.10	0.35	<0.02	0.12	15.73	2.63	<3	8
20/07/2004	04-2352	100	<2	5.45	69	1.9	1.55	1.35	9.43	0.36	<0.02	0.15	15.27	2.57	<3	<3
21/07/2004	04-2353	150	2	5.39	65	<1	1.44	1.26	8.78	0.38	<0.02	0.13	14.02	2.25	<3	6
22/07/2004	04-2354	>150	<2	5.19	65	<1	1.28	1.17	8.01	0.42	0.02	0.14	13.91	2.33	<3	6
23/07/2004	04-2355	100	<2	5.29	66	<1	1.32	1.22	8.32	0.38	0.02	0.13	14.78	2.46	<3	5
24/07/2004	04-2356	-	<2	5.38	68	<1	1.37	1.22	8.44	0.38	0.04	0.13	14.67	2.61	<3	5
25/07/2004	04-2357	-	4	5.17	56	<1	1.07	0.97	6.67	0.48	0.02	0.13	10.98	2.06	<3	14
26/07/2004	04-2358	-	<2	5.1	61	<1	1.24	1.14	7.79	0.41	0.02	0.15	12.71	2.10	<3	6
27/07/2004	04-2359	150	<2	5.28	67	<1	1.40	1.22	8.52	0.35	<0.02	0.13	14.26	2.46	<3	4
28/07/2004	04-2360	100	<2	5.53	68	1.2	1.43	1.28	8.84	0.35	<0.02	0.12	14.93	2.56	<3	<3
29/07/2004	04-2361	70	<2	5.7	69	1.6	1.48	1.31	9.09	0.35	<0.02	0.13	15.26	2.93	<3	<3
30/07/2004	04-2376	100	<2	5.77	64	<1	1.29	1.08	7.67	0.39	0.03	0.11	13.44	2.96	<3	<3
31/07/2004	04-2377	-	3	5.74	65	<1	1.33	1.11	7.89	0.36	0.05	0.12	13.52	2.79	10.0	172
01/08/2004	04-2378	-	7	5.51	55	<1	1.09	0.95	6.63	0.49	0.05	0.14	9.88	2.24	3.0	14
02/08/2004	04-2379	150	<2	5.73	67	1.6	1.40	1.21	8.48	0.37	0.03	0.14	13.81	2.38	<3	3
03/08/2004	04-2380	>150	6	5.71	64	<1	1.28	1.11	7.77	0.38	0.04	0.12	12.75	2.33	<3	8
04/08/2004	04-2381	-	5	5.75	64	1.1	1.33	1.14	8.02	0.37	0.03	0.15	13.20	2.55	<3	6
05/08/2004	04-2382	-	4	5.62	59	<1	1.23	1.03	7.31	0.50	0.04	0.11	11.60	2.14	<3	9
06/08/2004	2468-04	-	<2	5.36	64	<1	1.39	1.18	8.33	0.37	0.03	0.14	13.27	2.41	<3	6
07/08/2004	2469-04	-	<2	5.65	66	1.9	1.45	1.21	8.60	0.35	0.03	0.14	13.68	2.54	<3	6
08/08/2004	2470-04	-	<2	5.76	61	1.9	1.44	1.12	8.21	0.42	0.04	0.16	12.12	2.44	<3	8
09/08/2004	2471-04	70	<2	5.89	67	2.4	1.59	1.26	9.16	0.36	<0.02	0.19	13.67	2.59	<3	3
10/08/2004	2472-04	-	<2	6	70	3.2	1.84	1.34	10.11	0.37	<0.02	0.20	14.58	2.74	<3	5
11/08/2004	2473-04	-	<2	6.09	70	3.1	1.82	1.35	10.10	0.37	<0.02	0.23	14.35	2.69	<3	4
12/08/2004	2474-04	-	-	5.92	61	1.5	1.60	1.19	8.90	0.52	0.07	0.32	11.57	2.35	<3	17
13/08/2004	2523-04	-	<2	5.34	64	1.4	1.39	1.23	8.54	0.42	0.02	0.16	12.62	2.39	<3	9
14/08/2004	2524-04	-	<2	5.62	66	1.8	1.43	1.27	8.80	0.70	<0.02	0.17	13.09	2.46	<3	13
15/08/2004	2525-04	>150	<2	6.13	64	1.6	1.43	1.25	8.72	0.39	<0.02	0.18	12.30	2.35	<3	12
16/08/2004	2526-04	-	<2	5.38	55	<1	1.20	1.08	7.44	0.39	0.03	0.12	10.15	1.94	<3	17
17/08/2004	2527-04	-	2	5.54	58	1.3	1.33	1.15	8.06	0.38	0.02	0.14	11.28	2.09	<3	17
18/08/2004	2528-04	>150	<2	5.53	57	1.1	1.25	1.11	7.69	0.37	0.02	0.11	11.04	2.05	<3	16
19/08/2004	2529-04	-	2	5.46	53	4.0	1.25	1.06	7.49	0.34	0.03	0.11	9.69	1.85	<3	19
20/08/2004	2557-04	>150	<2	5.68	61	1.0	1.36	1.15	8.13	0.36	0.03	0.11	12.14	2.31	<3	18
21/08/2004	2558-04	>150	<2	5.75	62	1.4	1.39	1.17	8.29	0.35	<0.02	0.10	12.90	2.48	<3	9
22/08/2004	2559-04	-	<2	5.53	53	<1	1.22	1.04	7.33	0.36	0.02	0.09	10.33	1.78	<3	5
23/08/2004	2560-04	>150	<2	5.33	48	<1	1.04	0.88	6.22	0.40	0.03	0.09	8.77	1.72	<3	23
24/08/2004	2561-04	-	<2	5.25	53	<1	1.11	0.97	6.77	0.40	0.03	0.08	10.06	1.96	<3	16
25/08/2004	2562-04	>150	<2	5.34	57	<1	1.22	1.04	7.33	0.37	0.02	0.10	11.32	2.14	<3	16
27/08/2004	2607-04	-	<2	6.93	57	<1	1.15	0.98	6.91	0.39	0.04	0.07	10.74	2.06	<3	32
28/08/2004	2608-04	-	<2	5.92	57	<1	1.22	1.01	7.21	0.37	0.03	0.08	11.30	2.03	<3	8
29/08/2004	2609-04	-	<2	5.75	58	<1	1.34	1.06	7.71	0.40	0.02	0.11	11.69	2.04	<3	17
30/08/2004	2610-04	>150	<2	5.74	60	1.1	1.37	1.08	7.87	0.36	<0.02	0.12	12.21	2.22	<3	11
31/08/2004	2611-04	-	<2	5.82	62	1.4	1.41	1.11	8.09	0.37	0.03	0.13	12.65	2.35	<3	33
01/09/2004	2612-04	>150	2	5.6	52	<1	1.15	0.92	6.66	0.46	0.02	0.10	10.00	1.72	<3	26
02/09/2004	2613-04	-	2	5.53	54	<1	1.17	0.93	6.75	0.40	<0.02	0.09	10.57	1.95	<3	13
03/09/2004	2673-04	-	2	5.94	48	<1	0.97	0.85	5.92	0.43	0.02	0.07	8.79	1.60	<3	18
04/09/2004	2674-04	-	<2	5.71	52	<1	1.12	0.94	6.67	0.41	0.03	0.07	10.11	1.77	<3	9
05/09/2004	2675-04	-	<2	5.56	54	<1	1.17	0.99	7.00	0.41	0.03	0.08	10.46	1.79	<3	23
06/09/2004	2676-04	-	<2	6.85	56	<1	1.19	1.03	7.21	0.40	<0.02	0.09	11.32	2.01	<3	14
07/09/2004	2677-04	-	<2	5.91	59	1.0	1.24	1.07	7.50	0.37	0.03	0.13	11.96	2.19	<3	3
08/09/2004	2678-04	-	<2	5.85	60	1.4	1.29	1.11	7.79	0.36	<0.02	0.15	12.41	2.37	<3	14
09/09/2004	2679-04	-	-	5.83	62	1.5	1.30	1.12	7.86	0.36	0.04	0.19	12.66	2.40	<3	19
10/09/2004	2680-04	150	<2	5.76	66	1.2	1.49	1.28	8.99	0.50	0.02	0.14	13.80	2.66	<3	32
11/09/2004	2681-04	-	<2	5.48	68	<1	1.49	1.33	9.20	0.56	<0.02	0.12	14.66	2.57	<3	16
12/09/2004	2682-04	>150	2	5.08	55	<1	0.93	0.93	6.15	0.60	0.04	0.08	11.12	1.89	<3	14

Date		Colour	TSS	Conductivity	Alkalinity	Ca	Mg	Hardness	K	N-NH3	N-NO3	Chloride	Sulphate	Ortho-P	Total-P	
Sampled	Lab No	(Hazen units)	(mg/l)	pH	(µS/cm)	(mg/l CaCO3)	(mg/l)	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(ug/l)	(ug/l)	
13/09/2004	2683-04	-	<2	4.79	80	<1	1.36	1.46	9.41	0.68	0.03	0.08	18.30	2.78	<3	5
14/09/2004	2684-04	-	2	4.87	63	<1	1.00	1.09	6.99	0.57	0.02	0.08	13.95	2.05	<3	10
15/09/2004	2685-04	-	<2	4.8	62	<1	0.94	1.02	6.55	0.60	0.04	0.09	13.45	2.15	<3	9
16/09/2004	2686-04	150	<2	4.92	70	<1	1.23	1.27	8.30	0.53	0.02	0.11	15.64	2.54	<3	<3
17/09/2004	2734-04	>150	-	5.29	63	<1	1.18	1.14	7.64	0.56	<0.02	0.12	14.31	1.93	<3	6
18/09/2004	2735-04	-	<2	5.19	63	<1	1.05	1.09	7.11	0.60	0.03	0.10	13.67	1.77	<3	5
19/09/2004	2736-04	-	<2	5.07	66	<1	1.09	1.18	7.58	0.60	<0.02	0.09	14.92	1.89	<3	7
20/09/2004	2737-04	100	<2	5.21	72	<1	1.23	1.29	8.38	0.59	<0.02	0.13	16.58	2.20	<3	6
21/09/2004	2738-04	-	<2	5.07	75	<1	1.27	1.35	8.73	0.71	0.03	0.11	17.15	2.11	<3	6
22/09/2004	2739-04	150	<2	5.09	87	<1	1.04	1.12	7.21	0.51	<0.02	0.11	13.85	1.87	<3	9
24/09/2004	2843-04	100	2	7.05	69	<1	1.11	1.23	7.84	0.56	0.04	0.11	15.34	2.27	<3	7
25/09/2004	2844-04	100	<2	7.21	68	<1	1.14	1.23	7.91	0.68	0.02	0.11	15.21	2.10	<3	5
26/09/2004	2845-04	>150	<2	6.13	60	<1	0.89	0.99	6.30	0.64	0.03	0.09	12.52	1.74	<3	13
27/09/2004	2846-04	-	<2	5.42	62	<1	0.95	1.07	6.78	0.55	0.03	0.10	13.04	1.91	<3	10
28/09/2004	2847-04	>150	<2	5.39	60	<1	0.95	1.04	6.65	0.53	0.03	0.11	12.76	1.92	<3	8
29/09/2004	2848-04	-	<2	5.18	50	<1	0.70	0.80	5.04	0.63	0.03	0.08	9.45	1.59	3.0	13
30/09/2004	2849-04	>150	<2	5.26	56	<1	0.89	0.98	6.26	0.52	0.02	0.09	11.41	1.86	4.0	12
01/10/2004	2850-04	>150	<2	5.14	68	<1	1.05	1.20	7.56	0.56	<0.02	0.10	14.74	2.13	4.0	11
02/10/2004	2851-04	150	<2	5.09	64	<1	0.97	1.14	7.12	0.57	<0.02	0.10	13.89	2.00	<3	12
03/10/2004	2852-04	150	2	5.2	63	<1	0.98	1.11	7.02	0.60	0.04	0.09	13.67	1.99	3.0	14
04/10/2004	2853-04	-	2	5.37	66	<1	1.22	1.16	7.82	0.57	<0.02	0.08	14.59	2.03	3.0	12
07/10/2004	2876-04	150	<2	4.95	68	<1	0.98	1.17	7.27	0.58	0.02	0.09	14.89	2.09	<3	7
08/10/2004	2877-04	100	<2	5.21	68	<1	1.01	1.19	7.42	0.55	0.03	0.15	15.36	2.29	<3	7
09/10/2004	2878-04	-	<2	5.37	67	<1	1.02	1.18	7.41	0.57	<0.02	0.18	14.72	2.34	<3	7
10/10/2004	2879-04	70	<2	5.61	67	<1	1.05	1.20	7.56	0.51	<0.02	0.20	14.79	2.42	<3	5
11/10/2004	2880-04	-	<2	5.8	67	<1	1.09	1.22	7.75	0.46	<0.02	0.21	14.83	2.49	<3	6
14/10/2004	2893-04	100	<2	5.77	62	<1	1.10	1.11	7.32	0.64	<0.02	0.16	13.14	2.27	3.0	13
15/10/2004	2894-04	-	2	5.46	51	<1	0.85	0.86	5.66	0.61	<0.02	0.12	10.05	1.71	3.0	21
16/10/2004	2895-04	100	<2	5.52	63	<1	1.16	1.17	7.71	0.56	<0.02	0.20	14.33	2.37	<3	11
17/10/2004	2896-04	-	<2	5.26	56	<1	0.96	0.98	6.43	0.56	<0.02	0.15	11.70	2.01	<3	15
18/10/2004	2897-04	-	<2	5.36	55	<1	0.94	0.95	6.26	0.57	<0.02	0.14	11.10	1.98	3.0	24
19/10/2004	2898-04	-	<2	5.35	57	<1	1.04	1.02	6.80	0.53	<0.02	0.15	11.89	2.13	<3	14
20/10/2004	2899-04	-	<2	5.68	64	<1	1.22	1.20	7.99	0.55	<0.02	0.20	14.05	2.38	<3	8
21/10/2004	2900-04	-	<2	5.55	63	<1	1.10	1.14	7.44	0.57	<0.02	0.17	13.51	2.32	<3	13
22/10/2004	2963-04	-	<2	5.86	59	<1	1.13	1.08	7.27	0.44	0.02	0.22	15.91	2.72	5.0	15
23/10/2004	2964-04	100	<2	5.7	56	<1	1.10	1.03	6.99	0.40	<0.02	0.23	11.48	2.16	<3	12
24/10/2004	2965-04	-	-	5.47	43	<1	0.85	0.73	5.13	0.45	<0.02	0.13	8.93	1.81	<3	28
25/10/2004	2966-04	150	<2	5.33	54	<1	1.04	0.95	6.51	0.45	<0.02	0.16	10.66	2.03	<3	17
26/10/2004	2967-04	>150	<2	5.33	50	<1	0.93	0.87	5.90	0.45	<0.02	0.13	9.52	1.84	4.0	22
27/10/2004	2968-04	>150	2	5.1	53	<1	1.01	0.90	6.23	0.45	<0.02	0.14	9.87	1.99	<3	20
29/10/2004	2956-04	100	<2	6.04	55	<1	0.99	0.98	6.51	0.43	<0.02	0.17	10.75	2.03	4.0	16
30/10/2004	2957-04	-	2	5.87	57	<1	1.07	1.05	7.00	0.43	<0.02	0.23	11.05	2.07	<3	15
31/10/2004	2958-04	-	<2	5.9	57	1.2	1.11	1.09	7.26	0.40	<0.02	0.30	11.96	2.15	<3	15
01/11/2004	2959-04	-	<2	5.95	62	2.0	1.32	1.23	8.36	0.41	<0.02	0.24	12.04	2.36	<3	11
02/11/2004	2960-04	70	<2	6.15	60	1.5	1.22	1.15	7.78	0.41	<0.02	0.23	12.22	2.39	<3	13
03/11/2004	2961-04	100	2	6.06	59	1.6	1.27	1.15	7.91	0.44	<0.02	0.23	11.90	2.44	<3	13
04/11/2004	2962-04	150	<2	6.04	60	1.5	1.30	1.15	7.98	0.51	<0.02	0.23	12.03	2.44	<3	13
05/11/2004	3021-04	100	<2	6.17	61	1.8	1.30	1.14	7.94	0.56	<0.02	0.24	13.27	2.43	<3	8
06/11/2004	3022-04	100	<2	6.29	63	1.9	1.35	1.18	8.23	0.55	<0.02	0.25	13.54	2.44	<3	8
07/11/2004	3023-04	>150	<2	5.85	54	1.1	1.13	1.00	6.94	0.64	<0.02	0.18	11.50	2.14	<3	14
08/11/2004	3024-04	>150	<2	5.49	51	<1	1.02	0.92	6.34	0.62	<0.02	0.16	10.66	1.97	<3	16
09/11/2004	3025-04	-	<2	5.62	62	<1	1.15	1.05	7.20	0.64	<0.02	0.20	12.76	2.26	4.0	15
10/11/2004	3026-04	>150	5	5.67	63	<1	1.30	1.11	7.82	0.82	<0.02	0.36	13.64	2.52	7.0	77
12/11/2004	3118-04	-	3	5.16	54	-	1.01	0.96	6.48	0.68	<0.02	0.11	10.72	1.93	<3	23
13/11/2004	3119-04	150	<2	5.48	65	1	1.29	1.22	8.25	0.71	<0.02	0.20	13.80	2.39	<3	17

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	pH	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)
14/11/2004	3120-04	-	<2	5.68	66	1.1	1.33	1.25	8.47	0.62	<0.02	0.22	14.02	2.50	<3	13
15/11/2004	3121-04	-	2	5.17	51	<1	0.84	0.83	5.52	0.72	<0.02	0.12	9.82	1.77	<3	30
16/11/2004	3122-04	-	<2	5.43	62	<1	1.19	1.12	7.58	0.62	<0.02	0.19	12.84	2.32	<3	16
17/11/2004	3123-04	-	2	5.82	63	1.5	1.40	1.16	8.27	0.60	<0.02	0.23	13.07	2.34	<3	15
18/11/2004	3124-04	-	<2	5.83	63	1.3	1.26	1.18	8.01	0.59	<0.02	0.23	13.19	2.44	<3	11
19/11/2004	3155-04	100	<2	6.46	51	<1	0.92	0.88	5.92	0.54	<0.02	0.09	10.50	1.94	<3	18
20/11/2004	3156-04	-	<2	5.74	45	<1	0.76	0.72	4.86	0.53	<0.02	0.09	8.47	1.70	5.0	12
21/11/2004	3157-04	-	<2	5.57	46	<1	0.84	0.76	5.23	0.56	<0.02	0.09	9.07	1.82	<3	23
22/11/2004	3158-04	150	<2	6	52	<1	1.00	0.91	6.24	0.54	<0.02	0.13	10.78	2.06	<3	18
23/11/2004	3159-04	-	<2	5.75	55	<1	1.08	0.97	6.69	0.52	<0.02	0.17	11.37	2.15	<3	15
27/11/2004	3194-04	-	<2	6.12	59	1.0	1.17	1.06	7.29	0.61	<0.02	0.25	11.78	2.27	<3	10
28/11/2004	3195-04	-	<2	5.84	53	<1	1.05	0.94	6.49	0.73	<0.02	0.24	10.31	2.06	12.0	16
29/11/2004	3196-04	150	<2	5.81	58	<1	1.14	1.03	7.09	0.68	<0.02	0.25	11.60	2.22	8.0	16
30/11/2004	3197-04	-	2	5.63	58	<1	1.13	1.03	7.06	0.66	<0.02	0.24	11.57	2.19	5.0	14
01/12/2004	3198-04	-	<2	5.53	58	<1	1.12	1.02	7.00	0.75	<0.02	0.25	11.46	2.18	8.0	18
02/12/2004	3199-04	-	<2	5.71	60	<1	1.17	1.06	7.29	0.64	<0.02	0.30	11.99	2.30	4.0	13
03/12/2004	3200-04	-	<2	5.91	75	1	1.11	0.97	6.77	0.59	<0.02	0.14	1.062	2.11	<3	14
04/12/2004	3229-04	-	<2	5.6	61	1.2	1.11	1.06	7.14	0.61	0.02	0.31	11.58	2.28	4	14
05/12/2004	3230-04	100	<2	5.84	64	1.2	1.25	1.17	7.94	0.59	0.01	0.27	12.86	2.49	3	12
06/12/2004	3231-04	100	3	5.71	59	<1	0.99	1.03	6.71	0.71	0.02	0.19	11.89	2.30	6	20
06/12/2004	3232-04	-	<2	5.48	54	<1	0.81	0.89	5.69	0.67	0.03	0.21	10.51	2.10	10	22
07/12/2004	3233-04	-	<2	5.35	58	<1	0.91	0.98	6.31	0.60	0.04	0.26	11.34	2.30	6	15
08/12/2004	3234-04	-	-	5.24	48	<1	0.71	0.75	4.86	0.68	0.06	0.23	8.59	2.04	10	26
10/12/2004	3277-04	-	2	6.41	58	<1	0.97	0.99	6.50	0.71	<0.02	0.22	10.76	2.69	5.0	18
11/12/2004	3278-04	100	2	6.36	60	<1	0.87	0.95	6.08	0.75	0.03	0.17	11.75	2.50	10.0	21
12/12/2004	3279-04	70	<2	5.2	85	<1	1.31	1.54	9.61	0.91	0.05	0.20	18.81	3.22	16.0	36
13/12/2004	3280-04	-	<2	5.21	64	<1	1.00	1.07	6.90	0.81	0.03	0.14	12.95	2.89	10.0	24
14/12/2004	3281-04	-	<2	4.96	92	<1	1.43	1.72	10.65	0.92	0.03	0.17	20.81	3.53	9.0	19
15/12/2004	3282-04	-	<2	5.76	52	<1	0.87	0.85	5.67	0.63	0.03	0.20	9.37	2.10	10.0	20
16/12/2004	3283-04	150	<2	5.6	54	<1	0.95	0.90	6.08	0.58	<0.02	0.23	9.99	2.20	8.0	17
17/12/2004	3284-04	-	<2	5.97	58	1.2	1.19	0.98	7.01	0.58	<0.02	0.25	10.74	2.32	3.0	13
18/12/2004	05-1	70	-	5.74	67	<1	0.98	1.06	6.81	0.79	0.07	0.16	14.12	2.57	14.0	19
19/12/2004	05-2	70	-	5.83	63	<1	0.99	1.01	6.63	0.58	0.03	0.20	13.06	2.60	8.0	14
20/12/2004	05-3	70	-	5.83	63	<1	1.06	1.04	6.93	0.59	0.03	0.18	13.32	2.70	8.0	11
21/12/2004	05-4	70	-	5.67	64	<1	1.10	1.05	7.07	0.61	0.03	0.16	13.60	2.58	9.0	14
23/12/2004	05-33	70	-	4.89	86	<1	1.16	1.44	8.83	0.75	0.05	0.17	19.38	3.18	10.0	13
24/12/2004	05-34	50	-	5	92	<1	0.32	1.59	7.35	0.88	0.06	0.24	21.47	3.33	11.0	18
25/12/2004	05-35	70	-	5.02	77	<1	1.17	1.31	8.32	0.66	0.04	0.21	16.86	2.94	11.0	13
26/12/2004	05-36	70	-	4.93	85	<1	1.19	1.48	9.07	0.74	0.03	0.25	18.95	3.17	13.0	14
27/12/2004	05-37	70	-	4.98	98	<1	1.41	1.78	10.85	0.81	0.05	0.22	22.71	3.63	10.0	15
28/12/2004	05-38	50	-	4.87	107	<1	1.66	1.98	12.30	0.85	0.06	0.21	25.20	3.87	10.0	12
29/12/2004	05-39	70	-	5.11	82	<1	1.20	1.38	8.68	0.68	0.05	0.24	18.46	3.46	18.0	11
30/12/2004	05-40	70	-	4.99	92	<1	1.34	1.59	9.89	0.72	0.05	0.21	20.96	3.40	9.0	11
31/12/2004	05-41	70	<2	5.18	84	<1	1.31	1.50	9.45	0.70	0.04	0.22	19.69	3.15	8.0	9
01/01/2005	05-42	70	-	4.99	91	<1	1.30	1.64	10.00	0.85	0.06	0.24	21.11	3.26	11.0	30
04/01/2005	05-62	50	-	4.9	105	<1	1.51	1.83	11.31	0.95	0.04	0.22	25.35	3.73	9.0	26
05/01/2005	05-63	70	-	4.89	103	<1	1.41	1.70	10.52	0.86	0.04	0.19	24.82	3.36	10.0	21
06/01/2005	05-64	-	-	4.9	85	<1	0.99	1.27	7.70	1.20	0.04	0.11	20.00	2.78	6.0	41
07/01/2005	05-79	50	-	4.84	71	<1	0.96	1.07	6.80	0.70	0.06	0.12	15.59	2.45	10.0	24
08/01/2005	05-80	50	-	4.76	97	<1	1.17	1.62	9.59	0.78	0.04	0.13	22.63	3.30	6.0	21
09/01/2005	05-81	30	-	4.81	195	<1	2.90	4.13	24.25	1.18	0.04	0.22	54.29	6.74	3.0	11
10/01/2005	05-82	30	-	4.68	228	<1	2.19	4.79	25.19	1.33	0.03	0.16	63.64	8.12	<3	13
11/01/2005	05-83	50	-	4.84	89	<1	1.13	1.49	8.96	0.75	0.03	0.17	21.28	3.12	6.0	17
13/01/2005	05-120	30	-	5.42	157	<1	2.32	3.01	18.19	0.99	0.03	0.26	41.54	5.39	6.0	14
14/01/2005	05-121	30	-	4.79	143	<1	1.71	2.46	14.40	1.21	0.05	0.14	36.39	4.83	6.0	13

Date		Colour	TSS	Conductivity	Alkalinity	Ca	Mg	Hardness				Chloride	Sulphate	Ortho-P	Total-P	
Sampled	Lab No	(Hazen units)	(mg/l)	pH	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l CaCO3)	K	N-NH3	N-NO3	(mg/l)	(mg/l)	(ug/l)	(ug/l)	
15/01/2005	05-122	30	-	4.82	114	<1	1.40	1.92	11.40	0.96	0.05	0.17	27.44	3.85	7.0	12
16/01/2005	05-123	40	-	5.02	114	<1	1.57	1.99	12.12	0.81	<0.02	0.18	28.01	3.78	5.0	7
21/01/2005	05-181	40	-	5.18	121	<1	1.48	2.13	12.47	0.91	<0.02	0.21	29.78	3.94	7.0	12
22/01/2005	05-182	40	-	4.99	110	<1	1.40	1.93	11.44	0.84	0.04	0.24	26.59	3.57	7.0	14
23/01/2005	05-183	30	-	5.32	110	<1	1.48	1.98	11.85	0.83	0.02	0.28	26.99	3.75	6.0	10
24/01/2005	05-184	30	-	4.96	110	<1	1.47	1.96	11.74	0.79	<0.02	0.33	26.45	3.76	6.0	11
25/01/2005	05-185	30	<2	5.04	112	<1	1.57	1.99	12.12	0.80	<0.02	0.32	26.78	3.85	5.0	13
26/01/2005	05-186	30	<2	5.19	108	<1	1.56	1.93	11.84	0.73	<0.02	0.34	25.85	3.81	5.0	8
27/01/2005	05-187	30	<2	5.79	111	<1	2.31	1.99	13.96	0.73	<0.02	0.34	25.98	3.78	3.0	8
28/01/2005	05-244	30	-	6.04	107	<1	1.71	1.99	12.46	0.70	<0.02	0.33	26.27	3.77	4.0	8
29/01/2005	05-245	30	<2	5.68	106	<1	1.79	1.98	12.62	0.70	0.03	0.32	26.05	3.72	4.0	8
30/01/2005	05-246	40	<2	5.46	106	<1	1.73	1.99	12.51	0.71	<0.02	0.33	25.96	3.63	4.0	8
04/02/2005	05-263	70	-	6.87	83	<1	1.07	1.34	8.19	0.80	0.15	0.24	18.49	2.75	28.0	68
05/02/2005	05-264	70	-	5.49	92	<1	1.25	1.53	9.42	0.76	<0.02	0.30	21.02	3.05	14.0	41
06/02/2005	05-265	50	-	5.32	94	<1	6.51	1.63	22.97	0.73	0.03	0.30	21.43	3.13	10.0	28
07/02/2005	05-266	70	-	5.15	89	<1	1.26	1.49	9.28	0.75	0.06	0.29	20.00	2.95	15.0	34
08/02/2005	05-267	70	2	5.09	94	<1	1.31	1.60	9.86	0.78	0.06	0.32	21.35	3.15	11.0	18
09/02/2005	05-268	50	2	5.32	88	<1	1.27	1.52	9.43	0.75	0.03	0.27	20.90	3.07	10.0	20
10/02/2005	05-269	50	<2	5.1	93	<1	1.35	1.64	10.12	0.74	<0.02	0.31	21.92	3.23	10.0	17
11/02/2005	05-333	-	-	6.87	77	-	1.11	1.29	8.08	0.71	0.04	0.24	17.32	2.68	9.0	21
12/02/2005	05-334	-	-	6.22	70	-	0.97	1.13	7.08	0.71	0.04	0.19	15.61	2.42	10.0	24
13/02/2005	05-335	-	-	5.77	71	-	0.94	1.13	7.00	0.72	0.04	0.19	15.58	2.44	9.0	29
14/02/2005	05-336	70	-	5.32	87	<1	1.29	1.51	9.44	0.72	<0.02	0.24	19.79	2.89	11.0	21
15/02/2005	05-337	-	-	5.23	88	<1	1.29	1.55	9.60	0.76	<0.02	0.25	20.59	3.09	10.0	21
16/02/2005	05-338	-	-	5.23	93	-	-	-	-	<0.02	0.30	21.99	3.27	6.0	25	
17/02/2005	05-339	-	-	5.25	95	-	1.47	1.71	10.71	0.76	<0.02	0.31	22.21	3.36	<3	13
18/02/2005	05-432	>150	<2	6.48	171	10	6.23	3.00	27.91	0.77	<0.02	0.02	37.41	3.62	<3	14
19/02/2005	05-433	140	<2	6.52	125	5	3.08	2.19	16.71	0.70	<0.02	0.06	30.87	3.81	<3	9
20/02/2005	05-434	140	4	6.43	145	8	4.18	2.59	21.10	0.89	<0.02	0.05	32.44	3.77	<3	26
21/02/2005	05-447	60	2	6.08	89	1	2.04	1.69	12.05	0.59	<0.02	0.31	20.79	3.28	<3	9
22/02/2005	05-448	60	<2	6.3	90	1	2.01	1.71	12.06	0.66	0.02	0.31	20.97	3.36	<3	7
23/02/2005	05-449	40	<2	6.37	90	2	1.83	1.70	11.61	0.57	<0.02	0.30	20.84	3.37	<3	7
24/02/2005	05-450	40	-	6.21	88	2	1.83	1.69	11.53	0.56	0.02	0.29	20.78	3.48	<3	7
04/03/2005	05-479	80	2	5.57	94	1	1.59	1.76	11.22	0.65	<0.02	0.26	21.94	3.47	5.0	12
05/03/2005	05-480	60	<2	5.72	95	<1	1.82	1.82	12.04	0.68	<0.02	0.31	22.38	3.47	4.0	9
06/03/2005	05-481	60	<2	5.91	93	<1	1.64	1.76	11.34	0.62	<0.02	0.30	21.63	3.39	4.0	8
07/03/2005	05-482	60	<2	6.21	92	1	1.77	1.74	11.59	0.81	<0.02	0.28	21.14	3.30	<3	9
08/03/2005	05-483	40	<2	6.1	91	2	1.77	1.73	11.54	0.60	<0.02	0.27	20.87	3.32	3.0	12
09/03/2005	05-484	40	<2	6.23	90	2	1.85	1.73	11.74	0.62	<0.02	0.26	20.72	3.35	<3	10
10/03/2005	05-485	40	2	6.37	91	2	2.00	1.74	12.16	0.68	<0.02	0.28	20.57	3.28	<3	10
11/03/2005	05-534	40	<2	6.12	88	3	2.05	1.73	21.24	0.55	<0.02	0.28	20.18	3.29	<3	5
12/03/2005	05-535	40	<2	6.24	89	2	2.03	1.76	21.32	0.59	<0.02	0.29	20.98	3.41	<3	8
13/03/2005	05-536	40	<2	6.34	89	2	1.96	1.77	21.18	0.59	<0.02	0.30	21.06	3.35	<3	6
19/03/2005	05-578	-	<2	5.71	88	<1	1.36	1.59	9.94	0.56	0.02	0.23	22.26	3.46	4.0	10
20/03/2005	05-579	60	<2	5.96	87	1.1	1.37	1.55	9.80	0.55	<0.02	0.24	22.06	3.44	3.0	9
21/03/2005	05-580	-	<2	6	85	1.2	1.54	1.56	10.27	0.60	0.04	0.26	21.15	3.26	<3	13
22/03/2005	05-581	80	<2	5.82	85	<1	1.31	1.51	9.49	0.62	<0.02	0.24	21.31	3.18	4.0	16
23/03/2005	05-582	80	<2	5.78	86	<1	1.36	1.51	9.61	0.58	<0.02	0.24	21.21	3.20	3.0	13
24/03/2005	05-583	80	<2	5.76	83	<1	1.31	1.45	9.24	0.55	<0.02	0.23	20.53	3.01	4.0	14
25/03/2005	05-584	80	<2	5.85	86	<1	1.41	1.52	9.78	0.56	<0.02	0.23	21.21	3.19	<3	12
27/03/2005	05-601	-	<2	5.2	86	1.3	1.53	1.57	10.29	0.56	0.02	0.27	20.24	3.23	5.0	9
28/03/2005	05-602	-	<2	5.58	86	1.6	1.59	1.59	10.52	0.55	0.02	0.25	20.20	3.29	<3	8
29/03/2005	05-603	60	<2	5.79	86	2.1	1.59	1.59	10.52	0.57	0.02	0.27	19.98	3.29	<3	7
30/03/2005	05-604	-	<2	5.95	86	2.6	1.63	1.56	10.49	0.52	0.03	0.26	19.84	3.25	<3	7
01/04/2005	05-654	80	2	6.61	73	<1	1.43	0.25	4.60	0.60	0.02	0.24	16.07	2.83	10.0	24

Date		Colour	TSS	Conductivity	Alkalinity	Ca	Mg	Hardness				Chloride	Sulphate	Ortho-P	Total-P	
Sampled	Lab No	(Hazen units)	(mg/l)	(uS/cm)	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	(mg/l)	(mg/l)	(ug/l)	(ug/l)	
02/04/2005	05-655	80	2	5.98	76	<1	1.27	1.34	8.69	0.54	0.02	0.24	17.08	3.00	6.0	14
03/04/2005	05-656	80	<2	5.96	74	<1	1.53	0.27	4.93	0.52	<0.02	0.23	16.74	2.90	5.0	12
04/04/2005	05-657	100	<2	5.85	75	<1	1.27	1.36	8.77	0.53	<0.02	0.20	17.05	2.70	6.0	17
05/04/2005	05-658	140	2	5.5	67	<1	0.98	1.11	7.02	0.58	0.03	0.20	14.62	2.41	15.0	31
06/04/2005	05-659	100	<2	5.26	78	<1	1.21	1.37	8.66	0.57	0.02	0.20	17.54	2.83	11.0	21
07/04/2005	05-660	100	<2	5.19	83	<1	1.31	1.49	9.41	0.62	<0.02	0.24	19.28	3.12	12.0	19
08/04/2005	05-679	80	<2	6.3	83	<1	1.25	1.43	9.01	0.60	0.02	0.21	19.17	3.08	<3	14
09/04/2005	05-680	80	<2	6.18	83	<1	1.26	1.42	8.99	0.57	0.02	0.20	18.90	3.09	<3	11
10/04/2005	05-681	80	<2	6.1	82	<1	1.38	1.45	9.42	0.55	0.02	0.20	18.93	3.10	5.0	10
15/04/2005	05-715	80	3	7.1	77.1	<1	1.35	1.44	9.30	0.47	0.02	0.17	20.16	3.06	7.0	17
16/04/2005	05-716	80	8	6.93	68	<1	1.08	1.08	7.14	0.45	<0.02	0.14	15.91	2.48	8.0	26
17/04/2005	05-717	100	2	6.49	64	<1	0.94	0.96	6.30	0.48	<0.02	0.15	14.93	2.37	12.0	27
18/04/2005	05-718	80	3	6.37	71	<1	1.15	1.14	7.57	0.44	<0.02	0.16	17.48	2.79	8.0	15
19/04/2005	05-719	80	<2	6.34	74	<1	1.20	1.22	8.02	0.43	<0.02	0.17	17.82	2.87	5.0	12
20/04/2005	05-720	60	<2	6.35	75	1.0	1.27	1.27	8.40	0.42	<0.02	0.18	18.12	2.98	5.0	10
21/04/2005	05-721	60	<2	6.37	78	1.2	1.36	1.34	8.91	0.43	<0.02	0.18	18.67	3.05	4.0	11
22/04/2005	05-774		<2	7.53	76	1.3	1.36	1.38	9.08	0.45	0.03	0.23	17.27	3.07	8.0	13
23/04/2005	05-775		<2	7.31	77	2.3	1.37	1.40	9.19	0.46	0.02	0.21	17.47	3.10	5.0	12
24/04/2005	05-776		<2	7.16	78	2.5	1.44	1.42	9.44	0.45	0.04	0.23	17.52	3.10	13.0	10
25/04/2005	05-777		6	6.96	85	2.9	1.63	1.41	9.88	0.72	0.25	0.45	18.52	3.56	4.0	17
29/04/2005	05-858	140	<2	6.23	63	<1	1.23	1.13	7.72	0.43	0.02	0.16	14.22	2.58	6.0	16
30/04/2005	05-859	100	<2	6.22	67	<1	1.32	1.24	8.40	0.41	<0.02	0.16	15.35	2.75	5.0	12
01/05/2005	05-860	140	3	6.1	52	<1	1.02	0.88	6.17	0.42	0.03	0.15	11.25	2.12	12.0	23
02/05/2005	05-861	80	3	6.1	69	<1	1.34	1.22	8.37	0.47	0.04	0.14	15.85	2.85	7.0	19
03/05/2005	05-862	100	<2	6.11	67	<1	1.31	1.21	8.25	0.43	<0.02	0.16	15.70	2.77	6.0	13
04/05/2005	05-863	100	3	6.17	62	1.2	1.22	1.16	7.82	0.42	0.03	0.15	13.81	2.50	6.0	17
05/05/2005	05-864	80	<2	6.18	70	1.1	1.29	1.26	8.41	0.46	0.02	0.15	16.18	2.86	4.0	12
06/05/2005	05-924	100	<2	6.35	70	<1	1.29	1.24	8.33	0.44	<0.02	0.13	14.83	2.73	<3	13
07/05/2005	05-925	10	<2	6.28	72	1.1	1.30	1.27	8.48	0.45	-	0.12	15.54	2.85		11
08/05/2005	05-926	80	<2	6.28	74	1.7	1.36	1.32	8.83	0.45	<0.02	0.13	15.88	2.92	<3	8
15/05/2005	05-975	140	<2	5.82	66	<1	1.22	1.17	7.86	0.40	0.04	0.17	13.5	2.5	<3	11
16/05/2005	05-976	100	3	5.97	71	2.4	1.55	1.30	9.22	0.59	0.03	0.22	14.	3.0	6.0	24
17/05/2005	05-977	60	2	6.2	80	4.3	1.82	1.51	10.76	0.46	0.02	0.17	15.8	3.1	5.0	14
18/05/2005	05-978	40	<2	6.33	82	5.2	1.86	1.55	11.03	0.43	0.04	0.14	16.3	3.0	5.0	17
19/05/2005	05-979	40	<2	6.39	80	4.2	1.76	1.53	10.70	0.43	0.03	0.18	16.4	3.0	3.0	8
20/05/2005	05-980	40	<2	6.41	78	3.5	1.67	1.48	10.26	0.43	0.04	0.16	196.3	3.0	4.0	12
21/05/2005	05-1003		<2	6.25	68	<1	1.34	1.22	8.37	0.59	<0.02	0.15	13.5	3.2	<3	20
22/05/2005	05-1004		<2	6.12	71	1.2	1.39	1.29	8.78	0.55	<0.02	0.12	14.6	3.3	<3	19
23/05/2005	05-1005		<2	6.09	70	<1	1.38	1.28	8.72	0.51	<0.02	0.09	14.0	3.1	<3	17
24/05/2005	05-1006		4	6.02	77	1.1	1.74	1.36	9.95	0.74	0.07	0.52	14.8	3.4	<3	38
27/05/2005	05-1110		5	5.87	63	1.5	1.16	1.13	7.55	0.36	0.05	0.12	13.1	2.6	<3	29
28/05/2005	05-1111		3	5.76	68	2.0	1.27	1.20	8.11	0.35	0.02	0.14	13.6	2.7	<3	15
29/05/2005	05-1112		2	5.97	67	1.8	1.23	1.16	7.85	0.35	0.04	0.14	13.3	2.6	<3	16
10/06/2005	05-1168	40	2	6.14	71	3.9	1.60	1.39	9.72	0.36	0.03	0.21	14.5	2.9	3.0	10
11/06/2005	05-1169	100	3	6.11	63	2.3	1.52	1.22	8.82	0.41	0.04	0.25	12.0	3.0	<3	33
12/06/2005	05-1170	40	2	6.24	73	4.1	1.66	1.37	9.79	0.40	0.03	0.20	14.2	2.9	3.0	12
13/06/2005	05-1171	40	2	6.34	72	4.2	1.66	1.38	9.83	0.38	0.03	0.22	14.5	2.9	<3	9
14/06/2005	05-1172	50	<2	6.36	69	2.9	1.31	1.25	8.42	0.35	0.03	0.15	14.0	2.8	<3	14
15/06/2005	05-1173	50	<2	6.38	69	3.1	1.43	1.30	8.92	0.36	0.03	0.18	14.2	2.9	3.0	7
16/06/2005	05-1174	40	<2	6.43	80	11.2	1.53	1.38	9.50	0.52	0.57	0.16	14.4	3.1	137.0	160
17/06/2005	05-1242	>150	<2	7.94	62	2.2	1.44	1.19	8.50	0.33	<0.02	0.13	11.3	3.1	3.0	14
18/06/2005	05-1243	>150	-	7.53	64	2.3	1.37	1.16	8.20	0.33	<0.02	0.12	12.0	3.0	<3	16
19/06/2005	05-1244	100	-	7.20	69	2.7	1.60	1.23	9.06	0.50	0.14	0.41	12.7	3.1	10.0	38
24/06/2005	05-1299	>150	<2	7.76	62	1.8	1.45	1.01	7.78	0.31	0.05	0.07	11.2	1.2	3.0	13
25/06/2005	05-1300	100	<2	7.34	60	1.5	1.26	1.02	7.35	0.32	0.03	0.09	12.0	1.4	<3	11

Date		Colour	TSS	Conductivity	Alkalinity	Ca	Mg	Hardness	K	N-NH3	N-NO3	Chloride	Sulphate	Ortho-P	Total-P	
Sampled	Lab No	(Hazen units)	(mg/l)	(uS/cm)	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(ug/l)	(ug/l)	
26/06/2005	05-1301	100	<2	7.09	55	2.4	1.32	1.11	7.87	0.32	0.03	0.10	13.0	1.8	<3	10
27/06/2005	05-1302	100	<2	6.95	64	2.9	1.42	1.19	8.45	0.34	<0.02	0.13	12.8	1.5	<3	10
28/06/2005	05-1303	100	<2	6.84	60	3.2	1.52	1.22	8.82	0.35	0.02	0.14	13.1	1.5	<3	10
29/06/2005	05-1304	100	4	6.78	74	3.7	1.78	1.29	9.76	0.47	0.02	0.19	13.2	1.5	<3	12
30/06/2005	05-1305	100	2	6.74	72	3.6	1.64	1.26	9.28	0.36	0.02	0.15	13.1	1.4	<3	10
01/07/2005	05-1365	70	<2	7.15	69	4.9	1.67	1.38	9.85	0.35	0.02	0.27	13.6	2.8	5.0	12
02/07/2005	05-1366	70	<2	7.07	69	4.8	1.61	1.42	9.87	0.37	0.02	0.27	13.6	2.8	<3	6
03/07/2005	05-1367	70	<2	7.01	69	5.0	1.65	1.37	9.76	0.34	<0.02	0.27	13.6	2.8	<3	9
04/07/2005	05-1368	70	<2	6.97	69	5.1	1.61	1.35	9.58	0.35	0.02	0.27	13.5	2.8	<3	9
05/07/2005	05-1369	70	<2	6.95	70	5.0	1.65	1.38	9.80	0.35	0.03	0.27	13.6	2.9	<3	11
06/07/2005	05-1370	70	<2	6.94	70	4.8	1.67	1.37	9.81	0.35	0.02	0.27	13.6	2.8	<3	10
07/07/2005	05-1371	70	<2	6.90	69	4.9	1.91	1.42	10.62	0.34	0.02	0.27	13.6	2.8	<3	12
08/07/2005	05-1465	>150	2	7.40	68	4.0	1.76	1.34	9.91	0.36	0.02	0.23	14.4	2.7	<3	9
09/07/2005	05-1466	>150	5	7.18	67	3.2	1.61	1.30	9.37	0.33	<0.02	0.16	13.9	2.6	<3	8
10/07/2005	05-1467	>150	<2	7.00	65	2.9	1.52	1.22	8.82	0.34	0.02	0.14	13.9	2.6	<3	9
11/07/2005	05-1468	>150	<2	6.53	57	2.4	1.38	1.04	7.73	0.34	<0.02	0.09	11.8	2.2	<3	20
12/07/2005	05-1469	>150	<2	6.49	61	1.8	1.35	1.10	7.90	0.33	<0.02	0.10	13.2	2.4	<3	13
13/07/2005	05-1470	>150	<2	6.50	64	2.4	1.44	1.18	8.45	0.33	0.02	0.12	13.6	2.5	<3	10
14/07/2005	05-1471	>150	<2	6.28	59	1.5	1.32	1.03	7.54	0.32	0.02	0.08	12.6	2.3	3.0	12
15/07/2005	05-1502	50	<2	6.33	71	4.0	1.70	1.31	9.64	0.35	0.02	0.18	13.7	2.8	<3	7
16/07/2005	05-1503	50	<2	6.5	69	4.2	1.70	1.32	9.68	0.36	0.02	0.17	13.9	2.8	3.0	8
17/07/2005	05-1504	50		6.61	69	4.6	1.30	1.31	8.64	0.36	0.02	0.17	13.8	2.8	<3	8
22/07/2005	05-1520	>150	4	6.71	161	32.1	9.8	3.38	38.39	0.98	0.02	<0.02	28.4	2.6	3.0	80
23/07/2005	05-1521	>150	4	6.94	162	32.1	9.6	3.34	37.73	0.98	2.00	<0.02	28.4	2.7	3.0	44
24/07/2005	05-1522	>150	7	6.68	158	32.0	9.7	3.38	38.14	0.99	0.06	0.02	28.4	2.7	4.0	48
26/07/2005	05-1556	70	<2	6.06	69	4.3	1.80	1.38	10.18	0.32	<0.02	0.19	13.6	2.7	<3	6
27/07/2005	05-1557	50	<2	6.37	70	4.5	1.88	1.39	10.42	0.33	<0.02	0.18	13.9	2.8	<3	6
28/07/2005	05-1558	50	<2	6.51	71	4.8	1.96	1.43	10.78	0.34	<0.02	0.21	14.1	2.8	<3	8
29/07/2005	05-1559	50	2	6.58	73	5.5	2.07	1.44	11.10	0.36	<0.02	0.22	14.2	2.8	<3	10
30/07/2005	05-1560	40	<2	6.65	73	5.7	2.09	1.47	11.27	0.36	<0.02	0.23	14.2	2.8	<3	6
31/07/2005	05-1561	70	2	6.64	68	4.0	1.72	1.34	9.81	0.31	<0.02	0.17	13.4	2.7	3.0	7
01/08/2005	05-1562	50	<2	6.67	72	5.2	2.11	1.47	11.32	0.34	<0.02	0.25	13.8	2.8	3.0	8
02/08/2005	05-1633	>150	7	6.23	67	3.6	1.83	1.37	10.21	0.33	0.09	0.14	12.9	2.6	9.0	32
03/08/2005	05-1634	>150	2	6.30	65	2.9	1.68	1.31	9.59	0.32	0.05	0.17	12.2	2.3	4.0	19
04/08/2005	05-1635	>150	2	6.36	65	2.6	1.67	1.29	9.48	0.30	0.05	0.15	12.6	2.4	3.0	14
05/08/2005	05-1636	100	<2	6.45	67	3.2	1.71	1.30	9.62	0.32	0.04	0.16	12.8	2.5	3.0	12
06/08/2005	05-1637	70	2	6.56	70	3.8	1.91	1.32	10.21	0.35	0.03	0.24	12.3	2.4	<3	8
07/08/2005	05-1638	50	<2	6.66	72	5.0	1.92	1.36	10.39	0.35	0.10	0.19	13.3	2.7	3.0	39
08/08/2005	05-1639	>150	2	6.62	65	3.6	1.85	1.29	9.93	0.33	0.02	0.18	12.1	2.3	<3	12
09/08/2005	05-1730	50	<2	7.01	69	5.0	1.84	1.40	10.36	0.34	0.02	0.16	13.6	2.5	<3	9
10/08/2005	05-1731	>150	<2	6.88	66	3.6	1.71	1.34	9.79	0.33	0.02	0.13	13.0	2.4	<3	13
11/08/2005	05-1732	70	2	6.83	68	4.5	1.73	1.37	9.96	0.34	0.02	0.15	13.3	2.5	<3	10
12/08/2005	05-1733	70	3	6.75	65	3.4	1.72	1.29	9.61	0.32	0.04	0.14	12.9	2.4	<3	14
13/08/2005	05-1734	50	2	6.77	72	5.7	2.05	1.47	11.17	0.35	<0.02	0.20	13.9	2.6	<3	9
14/08/2005	05-1735	50	<2	6.80	71	5.7	2.00	1.46	11.01	0.36	0.02	0.18	13.9	2.7	<3	12
15/08/2005	05-1736	50	3	6.82	70	5.5	1.94	1.47	10.90	0.35	0.02	0.18	13.7	2.6	<3	10
13/08/2005	05-1804	>150	<2	5.58	55	1	1.08	0.97	6.69	0.37	0.02	0.12	10.4	2.1	6	15
14/08/2005	05-1805	>150	2	5.48	49	<1	1.03	0.90	6.28	0.45	0.03	0.19	8.0	1.7	9	26
15/08/2005	05-1806	70	6	6.15	63	15.2	1.63	1.25	9.22	0.41	<0.02	0.18	12.0	2.3	<3	14
16/08/2005	05-1807	70	3	6.36	70	4.6	1.88	1.40	10.46	0.37	<0.02	0.16	13.3	2.7	<3	6
17/08/2005	05-1808	70	2	6.49	67	4.0	1.83	1.37	10.21	0.35	0.03	0.16	12.9	2.4	<3	17
18/08/2005	05-1809	70	2	6.49	64	3.2	1.80	1.31	9.89	0.33	<0.02	0.15	12.3	2.3	<3	10
19/08/2005	05-1810	100	-	6.55	66	3.9	1.89	1.33	10.20	0.36	<0.02	0.18	12.4	2.4	<3	7
20/08/2005	05-1885	100	<2	6.20	59	1.4	1.26	1.04	7.43	0.32	0.03	0.15	11.3	2.3	4	12
21/08/2005	05-1886	>150	2	6.05	51	1.2	1.03	1.00	6.69	0.30	0.02	0.21	9.3	1.8	19	35

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	pH	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)
22/08/2005	05-1887	>150	2	5.81	49	<1	1.09	0.88	6.35	0.30	0.03	0.12	8.6	1.7	4	15
23/08/2005	05-1888	>150	<2	5.89	54	1.0	1.18	0.94	6.82	0.29	0.02	0.12	10.0	2.1	<3	10
24/08/2005	05-1889	>150		5.76	50	<1	1.11	0.88	6.40	0.40	0.03	0.12	9.2	1.8	6	22
25/08/2005	05-1890	>150		5.52	52	<1	1.03	0.91	6.32	0.37	0.04	0.13	9.8	2.0	7	21
26/08/2005	05-1891	>150		5.44	55		1.10	0.95	6.66	0.36	0.03	0.20	10.5	2.0	5	15
27/08/2005	05-1972	100	2	5.96	61	1.9	1.26	1.09	7.63	0.35	<0.02	0.16	12.0	2.2	<3	10
28/08/2005	05-1973	100	2	6.03	60	1.5	1.26	1.07	7.55	0.40	0.02	0.16	11.8	2.2	<3	8
29/08/2005	05-1974	100	<2	6.01	58	1.4	1.13	1.00	6.94	0.33	<0.02	0.1	11.4	2.2	<3	8
30/08/2005	05-1975	>150	<2	5.84	57	1	1.15	0.96	6.82	0.34	<0.02	0.10	11.1	2.1	<3	13
31/08/2005	05-1976	>150	5	5.61	55	<1	1.10	0.96	6.70	0.34	0.02	0.08	10.4	1.9	<3	13
01/09/2005	05-1977	>150	2	5.90	58	1.4	1.15	1.01	7.03	0.33	<0.02	0.12	11.3	2.2	<3	10
02/09/2005	05-1978	>150	<2	5.89	58	1.1	1.14	0.98	6.88	0.34	0.02	0.13	11.1	2.2	<3	10
03/09/2005	05-2026	70	<2	7.13	66	2.3	1.33	1.11	7.89	0.36	0.03	0.16	12.2	2.3	<3	11
04/09/2005	05-2027	70	<2	7.00	66	2.7	1.29	1.13	7.87	0.34	0.02	0.17	12.5	2.4	4	10
05/09/2005	05-2028	70	<2	6.89	66	3.0	1.37	1.19	8.32	0.34	0.02	0.18	12.7	2.4	<3	8
09/09/2005	05-2080	>150	2	7.88	59	1.8	1.20	1.00	7.11	0.32	0.02	0.15	11.1	2.2	8	16
10/09/2005	05-2081	>150	3	6.62	56	1.7	1.24	0.97	7.09	0.34	0.02	0.12	10.5	1.9	7	19
11/09/2005	05-2082	>150	5	5.90	53	1.1	1.11	0.93	6.60	0.36	0.02	0.11	10.2	1.9	8	22
12/09/2005	05-2083	>150	5	5.84	54	1.9	1.20	0.95	6.91	0.36	0.04	0.13	9.9	1.7	8	29
13/09/2005	05-2084	>150	4	5.83	56	1.6	1.18	0.96	6.90	0.33	0.02	0.14	9.9	1.8	7	27
14/09/2005	05-2085	>150	2	5.98	59	2.3	1.20	1.01	7.16	0.32	0.02	0.14	11.1	2.1	5	17
15/09/2005	05-2086	>150		5.94	57		0.99	0.95	6.38	0.33	0.02	0.11	11.2	2.1	5	21
17/09/2005	05-2170	>150	4	6.60	52	1.1	1.02	0.90	6.25	0.45	<0.02	0.14	10.2	1.7	5	19
18/09/2005	05-2171	>150	5	6.23	50	<1	0.99	0.85	5.97	0.44	<0.02	0.12	9.6	1.5	9	20
23/09/2005	05-2205	>150	<2	5.64	58	1.2	1.10	0.92	6.54	0.40	0.03	0.11	10.8	1.8	6	14
24/09/2005	05-2206	>150	<2	5.41	55	<1	0.91	0.84	5.73	0.46	0.03	0.10	9.8	1.6	13	20
25/09/2005	05-2207	>150	8	5.43	57	<1	0.98	0.85	5.95	0.49	0.04	0.10	10.5	1.7	8	31
30/09/2005	05-2274	-	<2	5.35	66	<1	1.19	1.19	7.87	0.48	0.02	0.10	14.6	2.1	7	10
01/10/2005	05-2275	>150	4	5.88	62	1.1	1.15	1.12	7.48	0.42	0.02	0.12	13.4	2.1	3	9
02/10/2005	05-2276	>150	5	6.27	64	1.6	1.25	1.18	7.98	0.41	0.03	0.20	14.1	2.4	5	10
03/10/2005	05-2277	>150	<2	5.68	63	<1	1.16	1.12	7.51	0.43	0.02	0.13	13.8	2.1	5	9
04/10/2005	05-2278	>150	<2	6.13	63	1.0	1.18	1.12	7.56	0.42	0.02	0.16	13.9	2.3	4	5
05/10/2005	05-2279	>150	<2	6.26	64	1.3	1.19	1.16	7.75	0.41	0.02	0.17	13.9	2.3	3	4
07/10/2005	05-2315	70	<2	6.25	68	<1	9.57	1.76	31.14	0.56	0.02	0.18	15.0	1.8	4	12
08/10/2005	05-2316	100	2	5.77	68	<1	4.97	1.50	18.59	0.53	0.02	0.14	15.4	1.6	8	12
09/10/2005	05-2317	100	2	5.61	80	<1	2.47	1.62	12.84	0.54	0.02	0.12	18.9	2.1	6	11
10/10/2005	05-2318	100	3	5.42	69	<1	1.52	1.29	9.11	0.59	0.02	0.11	16.3	1.6	11	19
11/10/2005	05-2319	70	<2	5.70	66	<1	1.25	1.18	7.98	0.44	0.02	0.12	15.2	1.6	7	11
12/10/2005	05-2320	70	2	5.95	66	<1	1.18	1.19	7.85	0.41	0.02	0.13	15.1	2.2	8	16
14/10/2005	05-2405	70	<2	6.22	69	1.8	1.39	1.28	8.74	0.52	<0.02	0.26	15.1	2.5	4	10
15/10/2005	05-2406	100	<2	6.22	69	1.7	1.40	1.27	8.73	0.52	<0.02	0.26	15.1	2.4	4	10
16/10/2005	05-2407	100	<2	6.22	69	1.7	1.38	1.31	8.84	0.53	0.19	0.25	15.0	2.4	4	12
17/10/2005	05-2408	100	8	5.97	71	<1	1.45	1.31	9.02	0.55	<0.02	0.26	15.6	2.5	5	12
18/10/2005	05-2409	100	<2	6.24	69	1.5	1.51	1.30	9.12	0.53	0.02	0.27	14.9	2.5	7	11
19/10/2005	05-2410	100	<2	6.21	69	1.8	1.37	1.30	8.77	0.52	<0.02	0.26	14.9	2.5	4	10
20/10/2005	05-2411	100	12	6.27	69	1.7	1.39	1.30	8.82	0.53	<0.02	0.26	14.9	2.4	5	10
22/10/2005	05-2449	>150	4	5.85	54	1.1	0.98	0.90	6.15	0.56	0.12	0.19	10.8	1.8	53	117
23/10/2005	05-2450	>150	2	5.79	54	1.1	0.98	0.92	6.24	0.52	0.05	0.15	10.8	1.9	6	20
24/10/2005	05-2451	>150	8	5.72	54	1.0	1.00	0.92	6.29	0.56	0.10	0.20	10.9	1.9	79	171
25/10/2005	05-2452	>150	3	5.63	55	1.1	0.98	0.94	6.32	0.56	0.11	0.20	10.3	1.8	77	168
26/10/2005	05-2453	>150	3	5.70	53	<1	1.00	0.92	6.29	0.55	0.08	0.18	10.6	1.8	45	104
27/10/2005	05-2454	>150	<2	5.90	55	1.2	0.99	0.92	6.26	0.57	0.16	0.19	11.1	1.8	84	183
28/10/2005	05-2569	>150	2	5.95	55	1.1	1.05	0.96	6.58	0.65	<0.02	0.13	12.1	2.0	3	11
29/10/2005	05-2570	>150	3	6.00	55	1.0	1.01	0.95	6.43	0.64	<0.02	0.14	11.9	1.9	3	12
30/10/2005	05-2571	>150	3	5.73	47	<1	0.77	0.54	4.15	0.69	<0.02	0.13	9.8	1.6	8	17

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)	
31/10/2005	05-2572	>150	2	6.68	57	21.4	1.04	1.01	6.76	0.73	<0.02	0.11	13.0	2.0	6	15
01/11/2005	05-2573	>150	6	5.87	52	40.8	0.98	0.89	6.11	0.63	<0.02	0.12	11.1	1.9	<3	7
02/11/2005	05-2574	>150	<2	5.77	47	<1	0.82	0.78	5.26	0.68	<0.02	0.13	9.7	2.3	7	15
03/11/2005	05-2575	>150	4	5.94	53	1.0	0.99	0.93	6.30	0.63	<0.02	0.14	11.5	2.0	<3	9
04/11/2005	05-2656	-	-	6.11	56	<1	0.90	0.93	6.08	0.59	<0.02	0.12	12.5	1.9	8	21
05/11/2005	05-2657	-	-	5.91	54	<1	0.85	0.91	5.87	0.59	<0.02	0.11	12.4	1.9	7	19
06/11/2005	05-2658	-	-	6.11	67	<1	1.06	1.20	7.59	0.61	0.02	0.12	15.7	2.3	6	17
07/11/2005	05-2659	-	<2	5.46	87	<1	1.34	1.66	10.18	0.74	<0.02	0.11	21.8	3.2	7	15
08/11/2005	05-2660	-	6	6.03	86	<1	1.41	1.62	10.19	0.65	<0.02	0.11	21.2	3.2	4	12
09/11/2005	05-2661	-	3	5.56	85	<1	1.22	1.57	9.51	0.76	0.02	0.10	22.3	3.1	6	17
10/11/2005	05-2662	-	4	5.91	79	<1	1.09	1.42	8.57	0.72	0.02	0.11	19.3	2.8	6	16
11/11/2005	05-2712	100	2	5.04	109	<1	1.71	2.24	13.49	0.85	0.03	0.14	18.8	2.2	6	13
12/11/2005	05-2713	50	3	5.15	102	<1	1.62	2.06	12.53	0.79	0.03	0.17	14.9	1.5	7	11
13/11/2005	05-2714	50	2	5.56	95	<1	1.60	1.94	11.98	0.71	0.03	0.18	9.4	0.9	5	10
14/11/2005	05-2715	70	3	5.56	90	<1	1.50	1.81	11.20	0.70	0.02	0.19	11.4	1.2	4	12
15/11/2005	05-2716	70	3	5.68	90	<1	1.55	1.81	11.32	0.68	0.02	0.20	10.0	1.0	5	10
16/11/2005	05-2717	50	<2	5.83	85	<1	1.53	1.73	10.94	0.64	0.02	0.23	13.2	1.4	3	9
18/11/2005	05-2776	40	<2	6.95	90	2.4	1.81	1.99	12.71	0.58	<0.02	0.32	6.9	0.7	<3	4
19/11/2005	05-2777	50	<2	6.84	77	2.3	1.57	1.67	10.80	0.54	<0.02	0.35	9.8	1.3	<3	5
20/11/2005	05-2778	40		6.77	77	2.0	1.47	1.64	10.42	0.52	<0.02	0.33	9.5	4.0	<3	5
21/11/2005	05-2779	40		6.69	77	1.7	1.45	1.65	10.42	0.53	0.02	0.32	12.2	5.2	3	5
22/11/2005	05-2780	50		6.51	77	1.4	1.39	1.64	10.22	0.54	<0.02	0.29	7.2	0.7	<3	5
23/11/2005	05-2781	70		6.39	77	1.1	1.38	1.65	10.24	0.56	<0.02	0.30	13.9	2.0	3	5
24/11/2005	05-2782	70		6.21	77	<1	1.41	1.64	10.27	0.57	0.02	0.26	16.6	2.3	4	8
25/11/2005	05-2835	40	<2	6.07	116	<1	2.72	2.56	17.33	0.99	0.02	0.26	34.9	4.1	3	12
26/11/2005	05-2836	50	<2	5.31	98	<1	1.79	2.01	12.75	0.92	0.02	0.20	22.9	3.9	7	15
27/11/2005	05-2837	40	<2	5.38	161	<1	2.88	3.82	22.92	1.41	<0.02	0.32	36.9	7.0	5	13
28/11/2005	05-2838	30	<2	5.20	151	<1	3.38	3.69	23.64	1.21	0.02	0.29	29.9	6.9	3	10
29/11/2005	05-2839	40	<2	5.44	129	<1	2.65	2.95	18.77	1.04	<0.02	0.27	24.1	5.9	3	9
03/12/2005	05-2925	70	3	5.32	67	<1	1.01	1.22	7.55	0.67	0.02	0.12	12.7	2.6	8	16
04/12/2005	05-2926	70	<2	5.14	72	<1	1.15	1.35	8.43	0.67	0.04	0.17	11.7	3.1	8	15
05/12/2005	05-2927	70	2	5.45	72	<1	1.19	1.42	8.82	0.66	0.03	0.18	16.6	2.8	10	14
06/12/2005	05-2928	70	2	5.66	73	<1	1.27	1.44	9.10	0.69	0.02	0.19	16.7	2.5	6	13
07/12/2005	05-2929	70	3	6.02	61	<1	0.88	1.03	6.44	0.64	0.04	0.17	13.7	2.2	11	20
08/12/2005	05-2930	70	2	5.61	65	<1	1.00	1.17	7.32	0.58	0.02	0.20	14.7	2.3	5	14
09/12/2005	05-3009	50	<2	5.62	72	1.0	1.37	1.23	8.49	0.52	0.02	0.27	16.5	2.8	<3	8
10/12/2005	05-3010	50	<2	5.71	72	1.0	1.57	1.28	9.19	0.57	<0.02	0.26	16.4	2.8	3	8
11/12/2005	05-3011	50	<2	5.78	72	1.0	2.04	1.16	9.87	0.52	0.02	0.27	16.5	2.8	3	14
12/12/2005	05-3012	50	<2	5.76	72	<1	1.36	1.21	8.38	0.51	0.02	0.26	16.3	2.8	<3	11
13/12/2005	05-3013	50	<2	5.81	73	1.1	1.41	1.17	8.34	0.52	0.04	0.28	16.7	2.8	5	10
14/12/2005	05-3014	50	<2	5.83	72	1.0	1.33	1.23	8.39	0.49	0.02	0.27	16.4	2.8	3	16
15/12/2005	05-3015	50	<2	5.82	72	<1	1.41	1.26	8.71	0.54	0.02	0.27	21.2	10.1	3	15
16/12/2005	06-27	70		6.71	72	1.1	1.34	1.31	8.74	0.61	0.02	0.17	9.6	1.3	5	9
17/12/2005	06-28	70		6.51	71	1.0	1.31	1.37	8.91	0.60	<0.02	0.18	11.6	1.9	<3	6
18/12/2005	06-29	70		6.25	65	<1	1.16	1.16	7.67	0.59	<0.02	0.17	12.6	1.9	5	13
19/12/2005	06-30	70		6.26	68	<1	1.17	1.17	7.74	0.58	0.02	0.20	11.0	1.8	5	11
20/12/2005	06-31	70	2	6.12	64	<1	1.21	1.18	7.88	0.68	0.02	0.16	9.8	1.4	3	13
21/12/2005	06-32	70	2	6.11	68	<1	1.21	1.22	8.05	0.67	0.03	0.19	10.5	1.4	<3	11
22/12/2005	06-33	70	2	6.02	69	<1	1.20	1.20	7.94	0.66	0.10	0.18	9.9	1.5	7	12
23/12/2005	06-35			6.30	73	1.2	1.38	1.36	9.05	0.54	0.02	0.50	7.6	1.0	4	6
24/12/2005	06-36			6.32	72	1.1	1.35	1.34	8.89	0.56	<0.02	0.34	12.7	1.4	5	8
25/12/2005	06-37		<2	6.12	68	<1	1.25	1.20	8.06	0.65	0.02	0.17	12.4	1.5	7	11
26/12/2005	06-38		<2	6.17	70	<1	1.35	1.20	8.31	0.61	<0.02	0.20	9.8	1.4	6	9
27/12/2005	06-39		<2	6.17	71	<1	1.30	1.26	8.43	0.56	<0.02	0.24	10.3	1.4	6	8
30/12/2005	06-82	70	2	5.18	51	<1	0.71	0.78	4.98	0.56	0.44	0.14	5.8	1.0	11	20

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	pH	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)
31/12/2005	06-83	70	<2	5.52	68	<1	1.11	1.17	7.59	0.50	0.03	0.08	15.2	2.3	6	7
01/01/2006	06-84	70	<2	5.42	67	<1	1.08	1.14	7.39	0.52	0.02	0.09	7.6	1.1	5	8
02/01/2006	06-85	70	<2	5.39	66	<1	1.03	1.11	7.14	0.55	0.02	0.03	7.7	0.9	3	11
03/01/2006	06-86	70		5.02	73	<1	1.17	1.26	8.11	0.60	<0.02	0.04	16.2	4.0	5	10
04/01/2006	06-87	70		5.18	75	<1	1.19	1.31	8.37	0.73	0.02	0.06	16.7	4.0	<3	17
05/01/2006	06-88	70		5.33	60	<1	0.93	1.00	6.44	0.57	<0.02	0.60	12.8	3.7	<3	14
06/01/2006	06-124	70	4	6.63	57	<1	0.97	0.99	6.50	0.57	0.04	0.09	14.3	14.3	<3	13
07/01/2006	06-125	50	6	6.33	45	<1	0.71	0.72	4.74	0.55	0.06	0.09	11.9	11.9	13	13
08/01/2006	06-126	50	-	6.02	55	<1	0.88	0.91	5.94	0.65	0.04	0.07	12.9	12.9	4	16
09/01/2006	06-127	50	2	6.11	62	<1	1.16	1.12	7.51	0.55	<0.02	<0.02	17	17	<3	9
10/01/2006	06-128	50	2	6.17	64	2.7	1.22	1.19	7.95	0.56	0.02	3.29	16	16	3	6
14/01/2006	06-176	70		5.68	64	<1	0.98	1.02	6.65	0.50	0.02	0.19	15.1	15.1	5	17
15/01/2006	06-177	70	4	5.76	55	<1	0.82	0.86	5.59	0.55	<0.02	0.17	13.3	13.3	5	14
16/01/2006	06-178	70	3	5.78	57	<1	0.82	0.88	5.67	0.54	<0.02	0.16	11.9	2.1	7	14
17/01/2006	06-179	70	2	5.87	60	<1	0.97	1.00	6.54	0.53	<0.02	0.20	14.9	2.5	6	14
18/01/2006	06-180	70	<2	5.88	62	<1	1.03	1.01	6.73	0.52	<0.02	0.19	13.4	2.4	<3	8
19/01/2006	06-235	70	4	6.73	61	<1	0.88	0.97	6.19	0.60	<0.02	0.15	14.2	2.2	10	16
20/01/2006	06-236	70	4	5.97	65	<1	0.94	1.06	6.71	0.39	<0.02	0.19	15.4	2.6	9	15
21/01/2006	06-237	70	<2	5.91	67	1.0	1.01	1.07	6.93	0.54	<0.02	0.21	14.8	2.6	4	11
22/01/2006	06-238	70	<2	5.92	67	<1	1.00	1.10	7.03	0.54	<0.02	0.23	15.1	2.6	3	11
23/01/2006	06-239	50	2	5.97	67	<1	1.07	1.13	7.33	0.54	<0.02	0.23	15.3	2.6	4	8
24/01/2006	06-240	50	2	6.07	68	1.2	1.10	1.18	7.61	0.54	<0.02	0.29	15.4	2.8	3	7
25/01/2006	06-241	50	<2	6.16	69	1.5	1.17	1.19	7.82	0.52	<0.02	0.33	15.5	2.8	3	7
27/01/2006	06-316			6.36	85	2.0	1.26	1.17	7.96	0.54	<0.02	0.19	15.2	2.9	<3	5
28/01/2006	06-317		<2	6.37	85	2.1	1.30	1.17	8.06	0.57	0.02	0.19	15.0	2.9	<3	2
29/01/2006	06-318		2	6.37	87	2.1	1.35	1.24	8.48	0.63	0.03	0.12	15.3	3.0	<3	4
30/01/2006	06-319			6.39	85		1.32	1.22	8.32	0.66	0.06	0.13	15.1	3.0	5	8
31/01/2006	06-320		<2	6.50	89	2.9	1.45	1.30	8.97	0.59	0.02	0.21	15.7	3.1	<3	4
04/02/2006	06-392	40	5	7.51	75	4.3	1.78	1.34	9.96	0.49	<0.02	0.12	15.5	2.9	<3	89
05/02/2006	06-393	30	2	7.42	75	3.9	1.73	1.37	9.96	0.48	0.05	0.03	16.2	3.1	<3	6
06/02/2006	06-394	30	4	7.31	77	4.0	1.70	1.37	9.89	0.48	0.38	0.19	15.9	3.0	<3	5
07/02/2006	06-395	30	<2	6.50	77	4.1	1.78	1.38	10.13	0.49	0.43	0.19	15.7	3.0	<3	5
08/02/2006	06-396	40	<2	6.55	82	3.2	1.84	1.51	10.81	0.60	0.51	0.19	17.8	3.6	<3	7
09/02/2006	06-397	50	<2	6.51	83	2.2	1.77	1.53	10.72	0.73	0.51	0.21	18.1	3.9	<3	9
10/02/2006	06-398	40	<2	6.53	80	134.3	1.71	1.47	10.32	0.66	0.53	0.21	17.5	3.6	3	8
11/02/2006	06-464	50	<2	5.77	77	<1	1.19	1.31	8.37	0.68	<0.02	0.11	19.0	3.4	3	16
12/02/2006	06-465	50	<2	5.33	82	<1	1.26	1.43	9.03	0.73	0.02	0.12	19.8	3.6	5	14
13/02/2006	06-466	70	2	5.33	58	<1	0.91	0.90	5.98	0.62	<0.02	0.12	13.2	2.6	6	21
14/02/2006	06-467	100	<2	5.38	54	<1	0.83	0.80	5.37	0.61	<0.02	0.15	11.4	2.6	6	21
15/02/2006	06-468	100	<2	6.09	77	3.2	1.69	1.43	10.11	0.60	0.02	0.25	17.5	3.6	<3	6
16/02/2006	06-469	50	2	5.94	68	1.5	1.30	1.20	8.19	0.74	<0.02	0.23	15.7	3.7	3	18
17/02/2006	06-470	70	2	5.53	60	<1	0.97	0.93	6.25	0.71	0.02	0.17	12.6	3.1	6	42
18/02/2006	06-510	70	<2	6.79	75	<1	1.17	1.29	8.23	0.68	<0.02	0.22	17.5	3.0	7	14
19/02/2006	06-511	70	<2	6.15	74	<1	1.16	1.26	8.09	0.61	0.02	0.24	17.5	3.1	11	13
20/02/2006	06-512	70	<2	5.99	71	<1	1.14	1.23	7.91	0.57	<0.02	0.23	18.4	3.2	4	10
21/02/2006	06-513	50	<2	6.09	70	<1	1.18	1.23	8.01	0.55	<0.02	0.24	18.4	3.2	4	9
22/02/2006	06-514	50	<2	6.18	71	1.6	1.21	1.24	8.13	0.52	<0.02	0.25	18.6	3.2	<3	6
23/02/2006	06-515	50	<2	6.85	71	1.7	1.28	1.28	8.47	0.52	<0.02	0.27	18.8	3.2	3	8
24/02/2006	06-516			6.	6.	B7	1.35	1.29	8.68		1.2	□ B <	0.30	6□	<3	3
25/02/2006	06-592	40	<2	7.27	72	3.0	1.52	1.31	9.19	0.50	<0.02	0.27	16.2	3.2	<3	3
26/02/2006	06-593	40	<2	7.11	74	3.9	1.82	1.42	10.39	0.48	<0.02	0.28	16.3	3.2	<3	2
27/02/2006	06-594	40	2	6.94	77	3.3	1.75	1.41	10.18	0.52	<0.02	0.26	16.9	3.4	<3	5
28/02/2006	06-595	40	<2	6.89	74	3.1	1.63	1.35	9.63	0.48	<0.02	0.28	16.1	3.2	<3	3
01/03/2006	06-596	40	<2	7.10	72	2.8	1.56	1.33	9.37	0.49	<0.02	0.28	16.1	3.2	<3	3
02/03/2006	06-597	40	<2	6.81	72	2.9	1.65	1.38	9.80	0.49	<0.02	0.27	16.1	3.2	<3	3

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)	
03/03/2006	06-598	40	6.75	77	2.7	1.59	1.42	9.82	0.55	<0.02	0.24	17.2	3.5	4	22	
04/03/2006	06-655		<2	6.94	68	<1	1.09	1.15	7.46	0.62	0.04	0.21	15.4	3.1	15	16
05/03/2006	06-656		<2	6.73	60	<1	0.97	0.95	6.33	0.58	0.05	0.18	12.6	2.8	6	20
06/03/2006	06-657		<2	6.15	62	1.0	1.04	1.04	6.88	0.56	0.02	0.10	13.6	3.1	<3	16
07/03/2006	06-658		2	6.08	69	1.2	1.24	1.21	8.08	0.61	0.03	0.16	15.5	3.4	<3	14
08/03/2006	06-659		<2	6.11	74	1.0	1.38	1.32	8.88	0.67	<0.02	0.28	16.3	3.6	7	11
09/03/2006	06-660		2	6.23	72	<1	1.43	1.27	8.80	0.60	<0.02	0.17	16.1	3.4	4	9
10/03/2006	06-661			6.43	71	2.8	1.54	1.30	9.20	0.54	0.03	0.20	15.6	3.3	<3	11
11/03/2006	06-722	70	2	6.06	69	<1	1.14	1.11	7.42	0.63	<0.02	0.17	11.3	2.0	7	13
12/03/2006	06-723	70	<2	5.89	69	<1	1.22	1.16	7.82	0.58	<0.02	0.16	11.7	2.1	4	9
13/03/2006	06-724	50	<2	5.91	69	<1	1.25	1.17	7.94	0.56	<0.02	0.17	16.0	3.0	3	12
14/03/2006	06-725	50	<2	6.04	70	1.5	1.32	1.23	8.36	0.53	0.02	0.17	16.2	3.9	4	6
15/03/2006	06-726	70	<2	5.78	71	<1	1.28	1.21	8.18	0.64	<0.02	0.17	10.9	2.1	5	10
16/03/2006	06-727	70	<2	6.07	80	<1	1.28	1.37	8.84	0.67	0.05	0.15	18.6	3.3	11	12
17/03/2006	06-728	70	<2	5.92	72	<1	1.21	1.21	8.00	0.63	0.02	0.16	13.8	2.5	<3	12
19/03/2006	06-764	50	<2	6.61	74	2.1	1.28	1.24	8.30	0.52	<0.02	0.20	16.6	3.3	<3	6
20/03/2006	06-765	70	4	6.24	63	<1	0.99	0.96	6.43	0.67	<0.02	0.17	13.7	2.7	7	22
21/03/2006	06-766	50	<2	6.90	78	3.5	1.63	1.34	9.59	0.58	<0.02	0.19	16.5	3.4	<3	8
22/03/2006	06-767	40	<2	6.88	78	4.1	1.69	1.39	9.94	0.52	0.02	0.22	16.5	3.3	<3	7
23/03/2006	06-768	30	<2	6.81	78	4.2	1.66	1.40	9.91	0.48	<0.02	0.22	16.4	3.3	<3	4
24/03/2006	06-769	30	<2	6.87	74	3.7	1.61	1.39	9.74	0.48	<0.02	0.21	16.5	3.3	<3	3
25/03/2006	06-770	30	<2	6.74	75	3.4	1.55	1.36	9.47	0.50	<0.02	0.21	16.5	3.3	<3	5
27/03/2006	06-770	30	<2	6.74	75	3.4	1.55	1.36	9.47	0.50	<0.02	0.21	16.5	3.3	<3	5
27/03/2006	06-820	50	4	5.96	72	2.5	1.34	1.34	8.86	0.50	0.03	0.19	18.7	3.9	<3	7
28/03/2006	06-821	40	2	6.16	72	2.4	1.46	1.54	9.99	0.47	0.05	0.20	18.7	3.8	15	9
29/03/2006	06-822	40	<2	6.32	72	2.9	1.44	1.38	9.28	0.48	0.02	0.20	18.8	3.7	3	9
30/03/2006	06-823	70	<2	5.90	59	<1	1.01	0.98	6.56	0.52	<0.02	0.14	15.2	3.4	6	13
31/03/2006	06-824	70	<2	5.92	64	1	1.18	1.09	7.44	0.49	0.02	0.15	16.1	3.3	5	9
01/04/2006	06-825	70	<2	5.82	60	<1	1.00	1.00	6.62	0.52	<0.02	0.14	15.1	3.1	8	16
02/04/2006	06-826	70	<2	5.63	57	<1	0.91	0.94	6.14	0.48	<0.02	0.12	13.5	2.8	8	16
03/04/2006	06-888	70	<2	6.46	64	<1	1.04	1.02	6.80	0.47	<0.02	0.07	14.6	3.1	<3	4
04/04/2006	06-889	70	<2	6.06	64	<1	1.07	1.02	6.87	0.46	<0.02	0.07	14.9	3.0	<3	6
05/04/2006	06-890	70	<2	5.96	64	<1	1.08	1.03	6.94	0.49	<0.02	0.07	14.7	2.9	<3	6
06/04/2006	06-891	50	2	5.99	67	1.1	1.12	1.09	7.29	0.47	<0.02	0.04	15.8	3.2	<3	<3
07/04/2006	06-892	50	2	6.09	69	1.7	1.16	1.15	7.63	0.46	<0.02	0.06	15.7	3.1	<3	<3
08/04/2006	06-893	50	<2	6.24	70	2.0	1.24	1.18	7.96	0.45	<0.02	0.04	15.9	3.3	<3	<3
09/04/2006	06-894	50	2	6.25	71	2.1	1.47	1.23	8.74	0.49	<0.02	0.06	16.8	3.2	<3	<3
10/04/2006	06-929	70	<2	6.49	71	1.7	1.20	1.14	7.69	0.38	<0.02	0.07	15.6	2.9	<3	10
11/04/2006	06-930	70	<2	6.29	73	1.4	1.27	1.22	8.20	0.41	0.06	0.08	16.4	3.0	3	4
12/04/2006	06-931	70	<2	6.28	76	1.3	1.29	1.22	8.25	0.42	<0.02	0.08	16.6	3.1	<3	7
13/04/2006	06-932	70	<2	6.14	74	2.0	1.31	1.23	8.34	0.40	0.02	0.11	17.0	3.2	<3	7
14/04/2006	06-958		<2	6.86	71	1.9	1.10	1.20	7.69	0.41	<0.02	0.11			<3	7
15/04/2006	06-959		<2	6.76	71	2.0	1.08	1.24	7.80	0.43	<0.02	0.12			3	7
16/04/2006	06-960		<2	6.70	72	2.4	1.14	1.26	8.04	0.43	<0.02	0.13			<3	6
17/04/2006	06-961		2	6.65	72	2.6	1.18	1.29	8.26	0.92	<0.02	0.14			<3	6
18/04/2006	06-962		2	6.53	75	1.7	1.18	1.34	8.46	0.48	<0.02	0.14			<3	9
19/04/2006	06-963			6.41	74	1.8	1.20	1.80	8.35	0.45	<0.02	0.12			<3	10
22/04/2006	06-1026	50	<2	6.32	69	2.0	3.63	1.27	14.29	0.43	0.03	0.12	15.8	2.7	3	6
23/04/2006	06-1027	70	<2	6.21	61	1.4	2.25	1.04	9.90	0.95	<0.02	0.08	14.0	2.2	<3	7
24/04/2006	06-1028	70	<2	6.19	64	1.5	1.67	1.06	8.54	0.51	0.02	0.08	14.8	2.5	3	6
25/04/2006	06-1029	70	<2	6.27	67	1.9	1.50	1.07	8.15	0.40	<0.02	0.07	15.2	2.6	<3	4
26/04/2006	06-1030	50	<2	6.43	69	2.7	1.43	1.17	8.39	1.06	<0.02	0.09	15.8	2.9	<3	4
27/04/2006	06-1031	50	<2	6.45	68	2.3	1.41	1.10	8.05	0.47	<0.02	0.08	15.6	2.7	<3	3
29/04/2006	06-1088	70	2	7.32	65	1.8	1.17	1.08	7.37	0.64	<0.02	0.05	15.3	2.5	<3	6
30/04/2006	06-1089	70	2	6.98	64	1.3	1.13	1.05	7.15	0.41	<0.02	0.07	14.9	2.5	<3	6

Date		Colour	TSS	Conductivity	Alkalinity	Ca	Mg	Hardness	K	N-NH3	N-NO3	Chloride	Sulphate	Ortho-P	Total-P	
Sampled	Lab No	(Hazen units)	(mg/l)	pH	(uS/cm)	(mg/l CaCO3)	(mg/l)	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(ug/l)	(ug/l)	
01/05/2006	06-1090	70	2	6.54	59	1.1	0.97	0.96	6.38	0.37	<0.02	0.09	13.6	2.2	<3	9
02/05/2006	06-1091	70	<2	6.53	63	1.9	1.08	1.06	7.06	0.38	<0.02	0.07	14.4	2.2	<3	8
03/05/2006	06-1092	70	3	6.47	65	1.9	1.20	1.12	7.61	0.36	<0.02	0.09	15.0	2.3	<3	6
04/05/2006	06-1093	50	<2	6.53	71	3.1	1.35	1.26	8.56	0.40	<0.02	0.08	16.1	2.8	<3	<3
05/05/2006	06-1160	70	<2	6.43	65	2.0	1.26	1.15	7.88	0.38	0.02	0.07	14.7	2.6	<3	8
06/05/2006	06-1161	100	<2	6.31	61	1.5	1.23	1.06	7.44	0.39	0.02	0.08	13.5	2.3	<3	13
13/05/2006	06-1227	50	<2	6.69	74	3.8	1.65	1.25	9.27	0.45	0.12	0.12	15.3	2.7	9	8
14/05/2006	06-1228	50	3	6.74	74	4.0	1.65	1.30	9.47	0.41	0.07	0.10	15.3	2.7	<3	-
15/05/2006	06-1229	100	3	6.68	67	2.6	1.44	1.16	8.37	0.37	0.03	0.11	13.7	2.3	<3	13
16/05/2006	06-1230	150	4	6.59	61	2.1	1.34	1.05	7.67	0.34	0.02	0.08	12.7	2.2	<3	14
17/05/2006	06-1231	>150	3	6.36	54	1.4	1.13	0.87	6.40	0.35	0.02	0.10	10.7	2.1	3	19
18/05/2006	06-1232	>150	4	6.12	54	<1	1.00	0.83	5.91	0.35	0.02	0.07	11.2	2.0	<3	23
19/05/2006	06-1288	150	<2	6.17	58	1.0	1.19	1.00	7.09	0.34	<0.02	0.07	12.5	2.7	<3	9
20/05/2006	06-1289	150	<2	5.79	54	<1	1.02	0.87	6.13	0.31	<0.02	0.05	11.1	1.9	<3	10
21/05/2006	06-1290	150	2	5.76	57	1.0	1.07	0.94	6.54	0.34	<0.02	0.05	12.4	2.3	<3	10
22/05/2006	06-1291	100	2	5.79	57	1.1	1.08	0.97	6.69	0.33	<0.02	0.05	12.6	2.3	<3	9
23/05/2006	06-1292	150	<2	5.66	52	<1	0.99	0.87	6.05	0.29	<0.02	0.05	11.2	2.1	<3	10
24/05/2006	06-1293	100	<2	5.77	60	1.1	1.11	1.01	6.93	0.31	<0.02	0.05	13.2	2.2	<3	9
25/05/2006	06-1294	100	<2	5.86	61	1.2	1.20	1.06	7.36	0.34	<0.02	0.06	13.7	2.7	3	9
27/05/2006	06-1352	70	<2	6.87	61	2.0	1.30	1.08	7.69	0.32	<0.02	0.07	13.9	2.3	3	6
28/05/2006	06-1353	100	<2	6.69	60	1.7	1.16	1.02	7.10	0.30	0.02	0.07	13.7	2.2	3	8
29/05/2006	06-1354	70	<2	6.49	61	1.8	1.17	1.03	7.16	0.65	0.02	0.05	13.9	2.3	<3	10
30/05/2006	06-1355	50	<2	6.50	64	2.4	1.27	1.10	7.70	0.32	0.02	0.06	14.5	2.5	<3	7
31/05/2006	06-1356	50	2	6.53	65	2.8	1.32	1.15	8.03	0.33	<0.02	0.08	14.8	2.6	<3	6
01/06/2006	06-1357	40	<2	6.58	67	3.3	1.44	1.19	8.50	0.36	0.03	0.09	15.0	2.7	<3	9
02/06/2006	06-1358	40	<2	6.62	67	3.7	1.47	1.21	8.65	0.36	<0.02	0.09	15.1	2.7	<3	6
03/06/2006	06-1359	40	<2	6.67	70	4.1	1.53	1.27	9.05	0.38	0.02	0.10	15.2	2.8	<3	7
04/06/2006	06-1416	40	2	7.46	72	4.4	1.57	1.35	9.48	0.37	<0.02	0.13	15.0	2.9	<3	14
05/06/2006	06-1417	40	2	7.38	74	4.9	1.67	1.39	9.89	0.45	<0.02	0.12	15.0	2.9	<3	13
06/06/2006	06-1418	40	3	6.50	71	5.0	1.70	1.39	9.97	0.40	0.02	0.13	15.1	2.9	<3	9
10/06/2006	06-1448		6	7.25	69	6.0	1.94	1.47	10.90	0.43	0.16	0.16	15.4	2.9	9	26
11/06/2006	06-1449		3	7.25	71	5.5	1.88	1.51	10.91	0.38	0.05	0.18	15.3	2.9	4	14
12/06/2006	06-1450		3	7.20	66	6.0	1.98	1.59	11.49	0.40	0.03	0.23	15.5	3.0	<3	11
13/06/2006	06-1451		4	7.20	71	6.3	2.11	1.61	11.90	0.44	0.03	0.25	15.9	3.1	<3	12
14/06/2006	06-1452		3	7.15	76	6.5	2.13	1.54	11.66	0.42	0.05	0.20	15.6	3.0	3	12
15/06/2006	06-1453		7	8.05	70	6.6	2.14	1.50	11.52	0.44	0.04	0.12	15.8	3.0	<3	12
17/06/2006	06-1514	40	<2	7.96	79	7.0	2.27	1.47	11.72	0.43	0.05	0.24	16.6	3.2	<3	5
18/06/2006	06-1515	100	8	7.52	74	2.5	1.86	1.38	10.33	0.59	0.05	0.36	15.2	4.8	6	36
19/06/2006	06-1516	100	8	7.25	74	2.5	0.23	1.40	6.34	0.46	0.05	0.21	15.2	5.4	8	26
20/06/2006	06-1517	150	6	6.75	67	1.1	1.39	1.24	8.58	0.41	0.03	0.19	14.0	4.7	8	19
21/06/2006	06-1518	70	3	6.67	72	1.6	1.52	1.31	9.19	0.35	0.02	0.13	15.9	5.7	4	16
22/06/2006	06-1519	70	3	6.59	72	1.9	1.50	1.30	9.10	0.35	0.03	0.12	16.3	4.8	3	<3
23/06/2006	06-1569	50	<2	6.66	71	2.8	1.52	1.32	9.23	0.35	0.06	0.10	15.2	4.1	3	11
24/06/2006	06-1570	40	<2	6.69	71	3.4	1.59	1.34	9.49	0.35	0.04	0.08	15.2	3.9	6	9
25/06/2006	06-1571	40	<2	6.84	73	3.9	1.61	1.33	9.70	0.37	0.05	0.12	15.6	3.7	<3	9
26/06/2006	06-1572	40	3	6.82	74	4.7	1.77	1.44	10.35	0.37	0.03	0.15	15.8	3.6	<3	10
27/06/2006	06-1573	40	<2	6.88	74	5.1	1.95	1.44	10.80	0.35	0.03	0.14	15.7	3.5	<3	6
28/06/2006	06-1574	40	2	6.91	76	5.1	1.91	1.49	10.91	0.37	0.03	0.10	16.0	3.4	<3	10
29/06/2006	06-1575	50	4	6.87	75	4.3	1.98	1.47	11.00	0.35	0.03	0.13	16.2	3.7	<3	12
01/07/2006	06-1651	40	<2	6.68	77	4.3	1.99	1.40	10.73	0.28	0.04	0.16	15.4	3.6	<3	6
02/07/2006	06-1652	40	2	6.81	78	5.8	2.08	1.43	11.08	0.27	0.06	0.17	14.9	3.3	<3	9
03/07/2006	06-1653	40	<2	6.75	78	5.3	1.93	1.45	10.79	0.27	0.05	0.19	15.5	3.5	<3	8
07/07/2006	06-1693		4	6.30	79	6.2	2.02	1.47	11.10	0.31	0.09	0.19	15.5	3.3	<3	18
08/07/2006	06-1694		13	5.99	65	1.7	1.33	1.20	8.26	0.42	0.03	0.19	13.2	3.1	<3	35
09/07/2006	06-1695		2	5.76	67	1.2	1.34	1.19	8.25	0.24	0.03	0.12	14.1	3.5	33	15

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)	
10/07/2006	06-1696		2	5.93	67	1.7	1.31	1.15	8.01	0.22	0.04	0.09	14.2	3.5	3	12
11/07/2006	06-1697		2	6.14	70	2.5	1.27	1.18	8.03	0.34	<0.02	0.08	14.4	3.4	<3	11
13/07/2006	06-1732	50	7	6.45	68	3.5	1.62	1.21	9.03	0.29	0.11	0.10	14.8	3.4	6	16
14/07/2006	06-1733	50	<2	6.51	69	3.8	1.66	1.25	9.29	0.30	0.07	0.12	15.0	3.4	3	11
15/07/2006	06-1734	50	<2	6.58	69	4.5	1.75	1.28	9.64	0.31	0.07	0.14	15.1	3.3	5	11
16/07/2006	06-1735	40	<2	6.66	70	4.6	1.80	1.34	10.01	0.31	0.07	0.14	15.1	3.3	3	11
17/07/2006	06-1736	40	<2	6.67	72	5.3	1.93	1.35	10.38	0.34	0.06	0.15	15.1	3.3	4	12
18/07/2006	06-1737	40	<2	6.68	72	5.2	1.99	1.39	10.69	0.33	0.02	0.17	15.2	3.3	<3	7
19/07/2006	06-1738	40	2	6.69	74	5.7	2.03	1.40	10.83	0.36	0.04	0.19	15.2	3.3	<3	11
21/07/2006	06-1780	50	2	7.50	77	6.7	1.85	1.47	10.92	0.35	0.04	0.23	15.4	3.3	4	10
22/07/2006	06-1781	40	<2	7.35	77	7.2	2.13	1.46	11.33	0.37	0.06	0.22	15.5	3.4	<3	7
23/07/2006	06-1782	40	<2	7.26	77	5.6	2.06	1.49	11.28	0.36	0.04	0.20	15.5	3.3	<3	7
24/07/2006	06-1783	40	<2	7.17	75	5.9	2.17	1.44	11.35	0.36	0.04	0.21	15.3	3.4	<3	10
25/07/2006	06-1784	100	4	6.19	69	4.0	1.71	1.30	9.62	0.36	0.04	0.23	13.8	3.6	<3	18
26/07/2006	06-1785	70	2	6.37	72	4.5	1.69	1.29	9.53	0.32	0.03	0.14	14.6	3.8	<3	11
27/07/2006	06-1786	50	2	6.46	71	3.9	1.68	1.31	9.59	0.33	0.04	0.12	14.9	3.6	<3	9
28/07/2006	06-1877	100	3	6.02	67	3.3	1.74	1.24	9.45	0.30	<0.02	0.12	13.5	3.4	<3	14
29/07/2006	06-1878	150	3	5.98	67	2.0	1.52	1.26	8.98	0.26	<0.02	0.11	13.7	3.5	5	12
30/07/2006	06-1879	150	2	5.72	65	1.6	1.48	1.22	8.72	0.24	<0.02	0.12	13.0	3.3	<3	20
31/07/2006	06-1880	>150	7	5.79	65	1.2	1.43	1.16	8.35	0.29	<0.02	0.12	13.6	3.1	<3	22
01/08/2006	06-1881	>150	2	5.56	64	<1	1.25	1.08	7.57	0.31	<0.02	0.09	13.9	2.9	<3	16
02/08/2006	06-1882	100	<2	5.71	64	1.2	1.23	1.05	7.40	0.27	<0.02	0.05	14.1	3.0	<3	12
03/08/2006	06-1883	100	<2	5.92	65	1.6	1.25	1.08	7.57	0.28	<0.02	0.07	14.3	3.1	<3	13
05/08/2006	06-1942	70	2	6.24	69	3.5				0.06	0.12	14.7	3.1	<3	14	
06/08/2006	06-1943	70	<2	6.29	67	2.9				0.05	0.13	14.6	3.0	<3	14	
07/08/2006	06-1944	70	<2	6.27	66	2.2				0.05	0.09	14.9	3.2	<3	11	
12/08/2006	06-2012	70	2	7.36	70	3.5	1.28	1.25	8.34	0.26	0.07	0.14	14.7	3.0	<3	18
13/08/2006	06-2013	70	2	7.20	70	3.7	1.27	1.27	8.40	0.30	0.03	0.14	14.8	3.1	<3	12
14/08/2006	06-2014	50	<2	7.09	70	4.0	1.33	1.30	8.67	0.31	0.03	0.15	15.8	3.2	<3	16
15/08/2006	06-2015	50	<2	6.98	76	4.2	1.29	1.32	8.66	0.36	<0.02	0.15	14.9	3.1	<3	9
16/08/2006	06-2016	50	<2	6.96	70	4.6	1.44	1.31	8.90	0.29	0.03	0.14	15.0	3.0	<3	12
19/08/2006	06-2049	70	<2	6.34	71	3.8	1.78	1.29	9.76	0.31	<0.02	0.21	14.1	2.7	<3	6
20/08/2006	06-2050	>150	<2	6.47	70	3.1	1.72	1.29	9.61	0.27	<0.02	0.14	15.5	3.0	<3	6
21/08/2006	06-2051	100	<2	6.60	72	4.2	2.08	1.33	10.67	0.32	0.04	0.17	14.3	2.8	<3	6
22/08/2006	06-2052	70	<2	6.65	70	3.3	1.51	1.28	9.04	0.27	<0.02	0.13	14.5	2.9	<3	6
23/08/2006	06-2053	>150	2	6.59	70	2.9	1.67	1.28	9.44	0.26	<0.02	0.16	13.1	2.5	<3	12
24/08/2006	06-2054	100	<2	6.67	72	4.1	1.87	1.32	10.11	0.29	<0.02	0.16	12.7	2.4	<3	6
26/08/2006	06-2106	>150	2	7.41	70	2.6	1.71	1.25	9.42	0.27	0.04	0.13	15.4	2.9	3	10
27/08/2006	06-2107	>150	<2	7.11	70	2.9	1.65	1.23	9.19	0.26	0.03	0.12	15.3	3.0	<3	10
28/08/2006	06-2108	>150	<2	6.88	69	2.4	1.52	1.24	8.90	0.26	0.03	0.12	17.0	3.2	<3	13
29/08/2006	06-2109	>150	<2	6.86	70	2.6	1.61	1.25	9.17	0.28	0.04	0.12	15.2	2.9	3	12
30/08/2006	06-2110	>150	6	6.20	60	1.3	1.11	1.03	7.01	0.35	0.03	0.11	9.4	1.5	3	23
31/08/2006	06-2111	>150	3	5.94	60	1.3	1.15	1.00	6.99	0.30	0.02	0.08	13.6	2.3	5	17
02/09/2006	06-2208	>150	3	5.61	60	1.2	1.25	1.02	7.32	0.27	0.03	0.06	12.5	2.3	<3	14
03/09/2006	06-2209	>150	<2	5.59	58	1.2	1.18	1.01	7.11	0.24	0.03	0.06	12.2	2.3	<3	9
04/09/2006	06-2210	>150	<2	5.73	60	1.8	1.26	1.07	7.55	0.25	0.05	0.06	13.3	2.5	3	14
09/09/2006	06-2256	100	2	7.17	57	2.0	1.18	0.92	6.74	0.27	0.04	0.05	11.1	2.5	<3	9
10/09/2006	06-2257	100	2	6.98	60	2.0	1.09	0.95	6.63	0.28	0.03	0.08	12.2	2.7	<3	6
11/09/2006	06-2258	100	<2	6.93	61	2.4	1.17	1.00	7.04	0.30	0.04	0.08	12.6	2.7	<3	8
12/09/2006	06-2259	701	<2	6.87	63	3.2	1.24	1.05	7.42	0.30	0.02	0.06	12.6	2.6	<3	7
13/09/2006	06-2260	100	2	6.29	60	2.8	1.27	1.07	7.58	0.28	0.03	0.05	12.6	2.5	<3	7
16/09/2006	06-2322	70	<2	6.05	64	3.3	1.46	1.19	8.55	0.37	0.03	0.14	12.7	2.6	<3	17
17/09/2006	06-2323	150	2	6.16	63	2.6	1.43	1.17	8.39	0.39	0.02	0.14	12.6	2.3	<3	18
18/09/2006	06-2324	>150	4	5.98	57	1.5	1.22	1.02	7.25	0.30	<0.02	0.15	10.1	2.0	<3	27
19/09/2006	06-2325	>150	3	5.71	56	1.3	1.18	0.95	6.86	0.29	<0.02	0.13	10.2	2.0	<3	31

Date		Colour	TSS	Conductivity	Alkalinity	Ca	Mg	Hardness	K	N-NH3	N-NO3	Chloride	Sulphate	Ortho-P	Total-P	
Sampled	Lab No	(Hazen units)	(mg/l)	pH	(uS/cm)	(mg/l CaCO3)	(mg/l)	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(ug/l)	(ug/l)	
20/09/2006	06-2326	>150	6	5.57	53	<1	1.03	0.85	6.07	0.30	<0.02	0.09	10.0	1.9	<3	26
21/09/2006	06-2327	>150	2	5.52	51	<1	0.97	0.81	5.76	0.25	<0.02	0.06	9.8	1.9	<3	20
22/09/2006	06-2328	>150	5	5.44	41	<1	0.73	0.61	4.33	0.29	<0.02	0.05	6.8	1.5	<3	27
23/09/2006	06-2386		<2	5.46	59	<1	0.91	0.73	5.28	0.27	0.02	0.05	9.1	2.0	3	12
24/09/2006	06-2387		3	5.59	44	<1	0.84	0.68	4.90	0.28	0.03	0.05	8.1	1.8	4	15
25/09/2006	06-2388		2	5.65	47	1.1	0.98	0.74	5.49	0.27	0.03	0.05	8.8	1.9	3	10
26/09/2006	06-2389		2	5.75	49	1.2	0.94	0.78	5.56	0.27	0.03	0.06	9.4	1.9	3	9
27/09/2006	06-2390		2	5.56	45	1.1	0.87	0.71	5.10	0.26	0.02	0.05	7.6	1.6	3	13
28/09/2006	06-2391		2	5.46	44	1.0	0.85	0.68	4.92	0.29	0.02	0.05	7.7	1.6	4	15
29/09/2006	06-2392		<2	5.63	50	1.2	0.99	0.78	5.68	0.27	0.02	0.06	9.5	1.9	3	10
30/09/2006	06-2436	>150	<2	6.84	77	1.4	0.97	0.82	5.80	0.27	0.03	0.06	9.6	2.0	3	10
01/10/2006	06-2437	>150	<2	6.50	49	1.6	1.01	0.82	5.90	0.26	0.05	0.07	9.9	2.0	3	13
02/10/2006	06-2438	>150	<2	6.25	51	1.7	1.02	0.84	6.01	0.26	0.04	0.08	10.3	2.1	<3	10
07/10/2006	06-2500	>150	5	6.97	47	1.1	0.86	0.75	5.24	0.32	0.04	0.05	9.0	1.8	3	16
08/10/2006	06-2501	>150	3	6.54	52	1.3	0.94	0.84	5.81	0.32	0.04	0.07	10.2	2.1	3	9
09/10/2006	06-2502	>150	2	6.13	52	1.2	1.05	0.88	6.25	0.37	0.03	0.06	10.7	0.0	4	15
10/10/2006	06-2503	>150	<2	5.93	54	1.2	0.97	0.86	5.96	0.32	0.03	0.07	11.0	2.1	3	10
11/10/2006	06-2504	>150	2	5.76	51	1.0	0.87	0.81	5.51	0.36	0.05	0.06	10.2	2.0	4	14
12/10/2006	06-2505	>150		5.61	53	<1	0.93	0.88	5.95	0.39	0.03	0.02	11.1	2.0	<3	13
14/10/2006	06-2559	150		7.18	57	1.6	1.05	0.92	6.41	0.32	<0.02	0.12	11.7	2.4	<3	5
15/10/2006	06-2560	>150	<2	6.85	55	1.2	0.99	0.88	6.10	0.32	<0.02	0.09	11.3	2.3	<3	5
16/10/2006	06-2561	100		6.70	60	1.8	1.11	0.98	6.81	0.33	0.02	0.15	12.0	2.5	<3	6
17/10/2006	06-2562	100	<2	6.60	60	2.0	1.15	1.02	7.07	0.33	<0.02	0.17	12.1	2.5	<3	6
18/10/2006	06-2563	>150	<2	6.15	55	<1	1.11	0.94	6.64	0.40	<0.02	0.11	10.9	2.8	<3	11
19/10/2006	06-2564	>150	2	6.14	57	1.7	1.15	0.93	6.70	0.36	<0.02	0.10	11.1	2.5	<3	9
20/10/2006	06-2565	>150	<2	6.23	57	1.7	1.13	0.92	6.82	0.35	<0.02	0.13	11.5	2.5	<3	7
21/10/2006	06-2606	>150	2	5.50	45	<1	0.82	0.73	5.05	0.31	0.03	0.07	8.5	0.8	<3	16
22/10/2006	06-2607	150	<2	5.93	57	1.9	1.24	0.98	7.13	0.31	0.03	0.12	11.0	1.5	<3	7
23/10/2006	06-2608	>150	2	5.90	52	1.5	1.06	0.91	6.39	0.33	0.03	0.10	9.9	1.1	<3	13
24/10/2006	06-2609	>150	3	5.67	47	1.1	0.92	0.78	5.51	0.35	0.04	0.07	8.6	0.9	<3	16
25/10/2006	06-2610	>150	<2	5.80	51	1.4	1.02	0.85	6.05	0.32	0.05	0.08	9.8	1.2	3	14
26/10/2006	06-2611	>150	<2	6.00	54	1.6	1.05	0.90	6.33	0.32	0.04	0.10	10.5	1.3	<3	12
27/10/2006	06-2612	>150	3	5.74	42	1.1	0.77	0.68	4.72	0.34	0.02	0.07	7.4	0.6	<3	20
28/10/2006	06-2661	>150	4	5.88	35	<1	0.57	0.53	3.61	0.33	<0.02	0.03	6.2	1.4	<3	16
29/10/2006	06-2662	>150	<2	5.73	41	<1	0.81	0.66	4.74	0.33	<0.02	0.06	7.5	1.7	<3	11
30/10/2006	06-2663	>150	2	5.73	39	1.0	0.79	0.63	4.57	0.31	<0.02	0.05	7.0	1.7	<3	11
04/11/2006	06-2699	150	4	6.56	54	2.2	1.13	0.90	6.53	0.34	0.03	0.16	10.6	2.4	<3	10
05/11/2006	06-2700	100	<2	6.45	55	2.1	1.16	0.95	6.81	0.35	<0.02	0.18	10.9	2.5	<3	7
06/11/2006	06-2701	70	<2	6.40	57	2.4	1.23	0.99	7.15	0.34	<0.02	0.21	11.2	2.6	<3	9
07/11/2006	06-2702	70	2	6.35	57	2.0	1.19	1.04	7.25	0.38	<0.02	0.20	11.4	2.6	<3	8
08/11/2006	06-2703	>150	<2	6.05	52	1.2	1.11	0.94	6.64	0.41	<0.02	0.10	10.4	2.5	<3	10
09/11/2006	06-2704	150	<2	6.08	53	1.8	1.17	0.93	6.75	0.33	<0.02	0.13	10.3	2.5	<3	9
10/11/2006	06-2705	100	<2	6.07	54	1.6	1.10	0.97	6.74	0.34	<0.02	0.15	10.8	2.6	<3	8
11/11/2006	06-2761	150	3	5.56	54	1	1.08	0.94	6.57	0.43	<0.02	0.09	10.5	2.8	<3	10
12/11/2006	06-2762	150	2	5.77	57	1.3	1.15	1.01	7.03	0.41	<0.02	0.05	11.4	2.7	<3	7
13/11/2006	06-2763	>150	<2	5.76	60	<1	1.22	1.05	7.37	0.42	<0.02	0.06	12.2	2.7	<3	9
14/11/2006	06-2764	>150	2	5.72	60	1	1.20	1.08	7.44	0.44	0.02	0.06	12.6	2.7	4	9
15/11/2006	06-2765	>150	2	5.71	61	<1	1.17	1.09	7.41	0.43	<0.02	0.05	12.8	2.7	3	7
16/11/2006	06-2766	>150	2	5.43	57	<1	1.04	0.96	6.55	0.49	<0.02	0.07	11.5	2.3	4	14
17/11/2006	06-2767	150	<2	5.44	54	<1	0.97	0.88	6.05	0.42	<0.02	0.05	11.3	2.3	6	9
18/11/2006	06-2820		2	5.26	61	<1	1.05	0.94	6.49	0.43	0.02	0.09	13.1	2.6	3	8
19/11/2006	06-2821		6	5.34	60	<1	0.95	0.98	6.41	0.45	0.02	0.08	12.7	2.5	3	13
20/11/2006	06-2822		26	5.26	54	<1	0.80	0.80	5.29	0.49	0.02	0.07	11.3	2.2	<3	19
21/11/2006	06-2823		3	5.34	65	<1	1.04	1.10	7.13	0.47	0.02	0.09	14.7	2.8	<3	8
22/11/2006	06-2824		2	5.35	68	<1	1.08	1.15	7.43	0.48	0.02	0.11	15.2	2.9	<3	8

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	pH	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)
23/11/2006	06-2825		5	5.29	62	<1	3.89	1.08	14.16	0.48	0.04	0.09	13.8	2.5	13	11
24/11/2006	06-2826		3	5.28	64	<1	0.98	1.02	6.65	0.45	0.02	0.08	14.0	2.6	3	8
25/11/2006	06-2875	100	<2	6.44	62	<1	0.98	1.04	6.73	0.44	0.02	0.09	13.9	2.5	4	9
26/11/2006	06-2876	150	<2	5.93	62	<1	1.05	1.04	6.90	0.42	0.03	0.10	13.9	2.6	4	6
27/11/2006	06-2877	100	2	5.55	62	<1	1.03	1.07	6.98	0.43	0.02	0.09	14.1	2.6	3	7
02/12/2006	06-2927	70	2	5.43	84	<1	1.33	1.50	9.50	0.55	0.03	0.09	20.2	3.1	<3	8
03/12/2006	06-2928	50	3	5.05	86	<1	1.19	1.48	9.07	0.60	<0.02	0.06	20.9	3.1	<3	7
04/12/2006	06-2929	50	<2	4.98	108	<1	1.56	1.99	12.09	0.65	<0.02	0.08	26.3	3.9	<3	4
05/12/2006	06-2930	50	2	4.91	111	<1	1.55	1.98	12.02	0.66	<0.02	0.07	26.6	3.9	<3	4
06/12/2006	06-2931	50	<2	5.00	98	<1	1.39	1.72	10.55	0.57	<0.02	0.09	23.4	3.4	<3	4
11/12/2006	06-3004	70	2	6.66	68	<1	0.90	1.09	6.74	0.45	<0.02	0.06	16.0	2.6	3	6
12/12/2006	06-3005	50	4	5.74	94	<1	1.33	1.64	10.07	0.57	<0.02	0.07	22.8	3.4	<3	6
13/12/2006	06-3006	40	4	5.15	95	<1	1.22	1.57	9.51	0.59	<0.02	0.06	22.7	3.4	3	8
14/12/2006	06-3007	50	6	4.99	64	<1	0.71	0.91	5.52	0.45	<0.02	0.04	15.2	2.3	3	10
15/12/2006	06-3008	50	<2	5.03	68	<1	0.82	1.03	6.29	0.43	<0.02	0.07	15.7	2.5	4	6
16/12/2006	07-12		<2	6.38	72	<1	0.87	1.14	6.87	0.43	<0.02	0.11	16.9	2.7	4	4
17/12/2006	07-13		<2	5.91	72	<1	0.84	1.15	6.83	0.44	0.02	0.12	16.6	2.7	3	6
18/12/2006	07-14	50	<2	5.59	71	<1	0.85	1.13	6.78	0.44	<0.02	0.12	16.6	2.6	4	6
19/12/2006	07-15	70	<2	5.40	73	<1	0.92	1.20	7.24	0.43	0.02	0.14	16.9	2.8	3	4
20/12/2006	07-16	50	<2	5.47	73	<1	0.96	1.20	7.34	0.48	<0.02	0.15	16.9	2.9	<3	3
21/12/2006	07-25	50	<2	5.58	74	<1	1.07	1.19	7.57	0.44	<0.02	0.20	17.4	2.9	<3	<3
22/12/2006	07-26	50	<2	5.58	74	<1	1.15	1.26	8.06	0.46	0.02	0.23	17.7	3.2	3	4
23/12/2006	07-27	50	<2	5.62	75	<1	1.22	1.27	8.28	0.46	0.02	0.22	17.8	3.2	<3	3
24/12/2006	07-28	50		5.76	74	<1	1.24	1.25	8.24	0.45	0.02	0.24	17.7	3.1	<3	3
25/12/2006	07-29	50		5.86	74	<1	1.22	1.26	8.24	0.44	0.02	0.26	17.6	3.1	<3	3
31/12/2006	07-61	50	3	5.72	68	<1	3.18	1.12	12.55	0.49	0.02	0.12	15.9	2.7	3	6
01/01/2007	07-62	50	<2	5.30	94	<1	1.37	1.72	10.50	0.60	<0.02	0.12	23.2	3.7	3	5
02/01/2007	07-63	50	<2	5.12	101	<1	1.47	1.92	11.58	0.61	0.02	0.15	25.1	3.9	3	5
03/01/2007	07-64	50	4	5.03	104	<1	1.49	1.95	11.75	0.65	<0.02	0.14	26.1	4.0	3	4
04/01/2007	07-65	50	7	4.95	95	<1	1.28	1.68	10.11	0.64	<0.02	0.11	23.8	3.6	4	8
06/01/2007	07-106	40	<2	5.08	88	<1	1.19	1.44	8.90	0.54	<0.02	0.11	20.7	3.0	<3	6
07/01/2007	07-107	40	3	5.07	75	<1	0.93	1.17	7.14	0.50	<0.02	0.08	17.4	2.5	<3	11
08/01/2007	07-108	40	2	5.09	77	<1	0.99	1.22	7.50	0.50	<0.02	0.07	18.3	2.8	<3	6
09/01/2007	07-109	40		5.28	84	<1	1.18	1.36	8.55	0.52	<0.02	0.11	19.7	3.1	<3	6
10/01/2007	07-110	40	5	5.10	98	<1	1.31	1.64	10.01	0.64	0.02	0.09	23.5	3.6	<3	9
11/01/2007	07-111	40	<2	5.23	88	<1	1.23	1.49	9.21	0.55	<0.02	0.11	21.4	2.8	<3	4
12/01/2007	07-112	40	3	5.03	120	<1	1.64	2.18	13.07	0.68	<0.02	0.10	29.5	4.3	<3	3
13/01/2007	07-145	40	2	5.43	99	<1	1.25	1.47	9.17	0.65	<0.02	0.09	24.6	3.6	3	8
14/01/2007	07-146	40	<2	5.21	95	<1	1.36	1.34	8.91	0.57	0.02	0.15	23.6	3.5	3	7
15/01/2007	07-147	30		5.15	109	<1	1.56	1.96	11.97	0.64	0.02	0.13	27.4	4.0	<3	6
16/01/2007	07-148	30		5.16	104	<1	1.42	1.82	11.04	0.62	<0.02	0.14	25.7	3.7	<3	5
17/01/2007	07-149	40	3	4.95	96	<1	1.20	1.60	9.59	0.62	0.02	0.10	23.8	3.3	3	8
18/01/2007	07-150	40	3	5.02	96	<1	1.34	1.65	10.14	0.77	<0.02	0.12	23.9	3.5	3	7
20/01/2007	07-228	40	2	5.75	115	<1	1.63	2.03	12.43	0.60	0.02	0.10	27.5	3.9	3	7
21/01/2007	07-229	30	2	5.17	158	<1	1.75	2.30	13.84	0.66	<0.02	0.07	28.2	4.3	<3	3
22/01/2007	07-230	30	<2	5.00	127	<1	1.88	2.30	14.17	0.69	<0.02	0.07	30.4	4.3	<3	6
23/01/2007	07-231	30	7	5.12	115	<1	1.65	2.04	12.52	0.63	0.02	0.09	28.0	4.0	3	5
27/01/2007	07-284	40	<2	7.06	103	<1	1.70	1.85	11.86	0.53	0.02	0.14	25.1	3.8	<3	4
28/01/2007	07-285	30	3	6.67	101	<1	1.52	1.79	11.17	0.52	<0.02	0.18	24.9	3.7	<3	4
29/01/2007	07-286	20	2	6.44	100	<1	1.52	1.76	11.04	0.49	0.04	0.20	24.8	3.9	<3	<3
30/01/2007	07-287	20	<2	6.30	100	<1	1.55	1.76	11.12	0.51	<0.02	0.19	24.0	3.7	<3	4
31/01/2007	07-288	20	3	5.75	111	<1	1.58	1.97	12.06	0.55	<0.02	0.15	27.3	4.0	<3	3
01/02/2007	07-289	30	<2	5.62	105	<1	1.50	1.85	11.36	0.51	<0.02	0.16	25.7	3.8	<3	4
02/02/2007	07-290	30	<2	5.91	101	1	1.67	1.79	11.54	0.51	0.02	0.22	24.7	3.8	<3	3
03/02/2007	07-334	30	<2	7.04	102	1.0	1.79	1.90	12.29	0.53	0.02	0.11	24.5	3.6	3	5

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)	
04/02/2007	07-335	30	<2	6.86	98	1.2	1.74	1.84	11.92	0.51	<0.02	0.19	23.6	3.5	<3	<3
05/02/2007	07-336	20	<2	6.02	95	1.5	1.73	1.80	11.73	0.50	<0.02	0.13	22.9	3.4	<3	<3
06/02/2007	07-337	20	14	6.17	95	1.9	1.75	1.79	11.74	0.54	0.02	0.15	22.5	3.4	<3	16
07/02/2007	07-338	20	2	6.25	95	1.8	1.69	1.79	11.59	0.49	<0.02	0.16	22.9	3.0	<3	5
08/02/2007	07-339	30	2	6.12	88	<1	1.43	1.61	10.20	0.66	<0.02	0.14	20.5	3.2	3	18
10/02/2007	07-409	40	2	4.11	126	<1	1.51	1.69	10.73	0.56	<0.02	0.25			<3	4
11/02/2007	07-410	50	2	4.27	113	<1	1.45	1.58	10.13	0.52	<0.02	0.20			<3	7
12/02/2007	07-411	40	<2	4.46	103	<1	1.39	1.55	9.85	0.51	<0.02	0.18			<3	5
13/02/2007	07-412	40	<2	4.24	112	<1	1.42	1.57	10.01	0.48	<0.02	0.18			<3	4
14/02/2007	07-413	50	<2	4.43	104	<1	1.39	1.58	9.98	0.48	<0.02	0.19			<3	<3
15/02/2007	07-414	40	<2	4.52	104	<1	1.43	1.67	10.45	0.49	0.03	0.21			<3	4
16/02/2007	07-415	40	<2	4.44	109	<1	1.54	1.73	10.97	0.51	<0.02	0.17			<3	3
17/02/2007	07-448	40	<2	4.45	111	<1	1.48	1.72	10.78	0.50	<0.02	0.18			5	6
18/02/2007	07-449	30	<2	4.08	127	<1	1.49	1.71	10.76	0.48	<0.02	0.19			<3	<3
19/02/2007	07-450	40	2	4.15	115	<1	1.35	1.55	9.75	0.48	<0.02	0.17			<3	6
20/02/2007	07-451	50	2	4.47	95	<1	1.22	1.42	8.89	0.48	<0.02	0.16			4	6
21/02/2007	07-452	40	<2	4.22	111	<1	1.41	1.57	9.99	0.48	<0.02	0.17			4	5
22/02/2007	07-453	50	<2	4.28	95	<1	1.11	1.29	8.08	0.45	<0.02	0.13			5	7
23/02/2007	07-454	50	<2	4.22	105	<1	1.22	1.45	9.02	0.45	<0.02	0.15			5	5
24/02/2007	07-517	70	2	4.66	89	<1	1.13	1.56	9.23	0.49	0.02	0.13			3	9
25/02/2007	07-518	70	<2	4.38	100	<1	1.40	1.53	9.79	0.47	0.02	0.14			<3	6
26/02/2007	07-519	50	<2	3.92	134	<1	1.31	1.55	9.67	0.46	0.02	0.14			3	5
27/02/2007	07-520	70	5	4.46	84	<1	1.03	1.34	8.08	0.46	0.02	0.10			<3	14
28/02/2007	07-521	50	2	4.29	96	<1	1.34	1.45	9.31	0.48	0.02	0.10			3	9
01/03/2007	07-522	50	2	4.23	121	<1	1.46	1.95	11.65	0.52	<0.02	0.12			<3	5
02/03/2007	07-523	50	<2	4.03	130	<1	1.32	1.87	11.01	0.54	0.02	0.12			<3	6
03/03/2007	07-559	40	3	4.33	129	<1	1.78	2.48	14.67	0.64	<0.02	0.10			<3	5
04/03/2007	07-560	40	<2	4.22	111	<1	1.39	1.71	10.52	0.48	<0.02	0.13			<3	6
05/03/2007	07-561	40	<2	4.59	95	12.6	1.22	1.91	10.93	0.55	<0.02	0.04			<3	5
11/03/2007	07-626	40	3	5.48	111	<1	1.63	2.17	13.03	0.57	0.02	0.12	24.7	3.1	<3	7
12/03/2007	07-627	40	2	5.41	108	<1	1.57	2.27	13.28	0.58	0.02	0.15	26.3	3.4	3	7
13/03/2007	07-628	40	2	5.41	105	<1	1.61	2.15	12.87	0.56	0.03	0.14	24.8	3.2	3	3
14/03/2007	07-629	40	<2	5.41	106	<1	1.48	2.06	12.17	0.56	0.02	0.12	22.8	R	<3	<3
15/03/2007	07-630	40	2	5.53	99	<1	1.68	1.96	12.28	0.56	<0.02	0.11	22.4	3.0	<3	6
17/03/2007	07-644		2	5.26	102	<1	1.55	2.08	12.43	0.57	<0.02	0.06			<3	7
18/03/2007	07-645		<2	5.27	133	<1	2.01	2.88	16.88	0.71	<0.02	0.12			<3	5
19/03/2007	07-646		<2	5.26	140	<1	2.21	3.07	18.17	0.71	<0.02	0.14			<3	4
20/03/2007	07-647		<2	5.42	126	<1	2.03	2.68	16.08	0.63	<0.02	0.08			<3	4
21/03/2007	07-648		<2	5.56	122	<1	2.05	2.60	15.83	0.62	0.02	0.06			<3	4
22/03/2007	07-649		<2	5.73	118	<1	2.08	2.51	15.52	0.61	0.02	0.10			<3	4
24/03/2007	07-747	40	2	6.62	111	<1	1.92	1.31	10.18	0.52	0.02	0.15			<3	<3
25/03/2007	07-748	30	<2	6.48	107	1.0	1.91	1.19	9.67	0.55	0.03	0.16			<3	<3
26/03/2007	07-749	30	<2	6.45	102	1.5	1.93	1.24	9.94	0.45	<0.02	0.17			<3	<3
27/03/2007	07-750	20	<2	6.36	104	1.2	1.88	1.27	9.91	0.54	0.02	0.16			<3	<3
28/03/2007	07-751	20	<2	6.39	100	1.6	1.92	1.28	10.08	0.50	<0.02	0.16			<3	<3
29/03/2007	07-752	30	<2	6.42	100	2.0	2.00	1.25	10.14	0.52	<0.02	0.17			<3	<3
30/03/2007	07-753	30	<2	6.46	100	2.3	2.00	1.25	10.17	0.54	<0.02	0.18			<3	<3
31/03/2007	07-803		2	7.48	96	3.2	2.00	1.10	9.53	0.50	0.05	0.17			<3	6
01/04/2007	07-804		2	7.28	98	2.6	2.02	1.15	9.76	0.49	0.02	0.15			<3	5
02/04/2007	07-805		<2	7.12	96	2.9	2.04	1.17	9.91	0.46	0.02	0.15			<3	5
08/04/2007	07-839	30	<2	7.37	96	3.7	2.10	1.20	10.16	0.51	0.05	0.17			<3	<3
09/04/2007	07-840	20	<2	7.28	94	4.5	2.61	1.24	11.63	0.63	0.03	0.15			<3	<3
10/04/2007	07-841	10	<2	7.16	94	4.7	2.27	1.31	11.07	0.50	0.03	0.19			<3	<3
11/04/2007	07-842	20	<2	7.11	95	4.9	2.39	1.32	11.39	0.50	0.02	0.15			<3	3
14/04/2007	07-871	20	<2	7.11	95	5.7	2.33	1.43	11.71	0.55	0.03	0.13			<3	4

Date		Colour	TSS	Conductivity	Alkalinity	Ca	Mg	Hardness	K	N-NH3	N-NO3	Chloride	Sulphate	Ortho-P	Total-P
Sampled	Lab No	(Hazen units)	(mg/l)	(uS/cm)	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(ug/l)	(ug/l)
15/04/2007	07-872	20	<2	7.03	95	5.7	2.40	1.49	12.13	0.52	0.02	0.16		<3	5
16/04/2007	07-873	20	<2	6.98	94	5.9	2.33	1.45	11.80	0.52	0.02	0.14		<3	3
17/04/2007	07-874	20	3	6.96	94	6.1	2.45	1.46	12.15	0.52	0.02	0.14		<3	rpt
18/04/2007	07-875	20	<2	6.95	94	6.2	2.48	1.53	12.49	0.54	<0.02	0.14		<3	3
19/04/2007	07-876	20		6.93	93	6.4	2.42	1.60	12.64	0.48	0.02	0.15		<3	<3
20/04/2007	07-877	30	<2	6.92	93	5.3	2.20	1.48	11.60	0.47	0.05	0.14		<3	4
21/04/2007	07-930	50	3	6.62	68	<1	1.89	1.26	9.93	0.49	0.03	0.17		<3	11
22/04/2007	07-931	40	2	6.17	66	<1	1.93	1.20	9.77	0.50	0.04	0.13		<3	7
23/04/2007	07-932	40	4	5.82	58	<1	1.46	0.97	7.66	0.46	0.03	0.10		<3	12
24/04/2007	07-933	50	2	5.67	57	<1	1.53	0.97	7.82	0.50	<0.02	0.08		<3	6
25/04/2007	07-934	40	2	5.74	79	<1	1.59	1.00	8.11	0.46	<0.02	0.09		<3	3
26/04/2007	07-935	30	<2	6.38	85	6.2	2.43	1.27	11.27	0.50	0.04	0.19		<3	<3
28/04/2007	07-981	30	<2	6.82	61	1.4	1.58	1.18	8.81	0.44	0.13	3.00		<3	<3
29/04/2007	07-982	30	<2	6.66	89	1.8	1.59	1.08	8.41	0.41	<0.02	0.13		<3	<3
30/04/2007	07-983	40	<2	6.59	87	2.0	1.63	1.15	8.83	0.42	<0.02	0.11		<3	<3
05/05/2007	07-1029		<2	6.78	90	7.1	1.78	1.35	9.99	0.47	0.06	0.16		<3	6
06/05/2007	07-1030		<2	6.72	91	3.5	2.15	1.27	10.58	0.45	0.04	0.19		<3	<3
07/05/2007	07-1031		<2	6.70	92	1.9	2.06	1.29	10.43	0.43	0.03	0.16		<3	<3
08/05/2007	07-1032		<2	6.59	96	<1	2.04	1.34	10.63	0.41	0.03	0.20		<3	<3
09/05/2007	07-1033		<2	6.47	96	<1	2.05	1.29	10.44	0.39	<0.02	0.14		<3	<3
11/05/2007	07-1118	50	<2	6.06	107	<1	1.71	1.32	9.73	0.30	0.02	0.10		<3	<3
12/05/2007	07-1119	70	2	5.72	109	<1	1.63	1.26	9.26	0.29	0.02	0.10		<3	<3
13/05/2007	07-1120	50	2	5.98	111	<1	1.72	1.33	9.79	0.32	0.02	0.08		<3	<3
14/05/2007	07-1121	40	3	6.08	106	1.0	1.69	1.32	9.65	0.32	0.02	0.06		<3	<3
15/05/2007	07-1122	40	3	6.19	107	1.3	1.73	1.33	9.79	0.32	0.02	0.08		<3	<3
16/05/2007	07-1123	100	7	5.70	93	<1	1.44	1.10	8.12	0.26	0.06	0.09		<3	8
17/05/2007	07-1124	100	4	5.69	97	<1	1.48	1.13	8.36	0.29	<0.02	0.06		<3	4
18/05/2007	07-1155	70	<2	6.17	94	<1	1.72	1.17	9.09	0.27	0.02	0.07		<3	<3
19/05/2007	07-1156	50	<2	5.83	95	<1	1.73	1.28	9.56	0.30	0.04	0.07		<3	<3
20/05/2007	07-1157	50	<2	5.89	94	<1	1.63	1.30	9.41	0.30	0.02	0.06		<3	<3
21/05/2007	07-1158	40	<2	6.05	94	<1	1.59	1.29	9.30	0.33	0.03	0.07		<3	<3
22/05/2007	07-1159	50	<2	6.20	91	<1	1.62	1.21	9.01	0.33	0.02	0.07		<3	<3
23/05/2007	07-1160	50	<2	6.27	91	1.3	1.67	0.72	7.15	0.29	0.02	0.10		<3	<3
24/05/2007	07-1161	50	<2	6.18	92	1.1	1.86	1.01	8.80	0.28	0.02	0.12		<3	<3
25/05/2007	07-1235	40	<2	6.64	91	1.6	1.69	1.78	11.54	0.31	<0.02	<0.02		<3	<3
26/05/2007	07-1236	40	<2	6.54	91	2.0	1.80	2.05	12.93	0.34	0.02	0.10		<3	<3
27/05/2007	07-1237	50	<2	6.44	91	1.5	1.73	1.73	11.45	0.29	0.03	0.11		<3	<3
28/05/2007	07-1238	40	<2	6.36	91	1.1	1.55	1.71	10.90	0.27	0.02	0.09		<3	<3
29/05/2007	07-1239	50	<2	6.35	91	1.3	1.62	1.80	11.47	0.29	0.02	0.1		<3	<3
02/06/2007	07-1305	70	<2	7.37	82	1.9	1.52	1.51	10.00	0.32	0.04	<0.02		<3	5
03/06/2007	07-1306	100	4	6.45	67	<1	1.11	1.15	7.50	0.21	0.03	0.07		<3	23
04/06/2007	07-1307	70	<2	6.32	79	<1	1.44	1.38	9.26	0.30	0.04	0.04		<3	18
05/06/2007	07-1308	50	<2	6.34	81	<1	1.39	1.43	9.36	0.29	0.04	0.05		<3	4
06/06/2007	07-1309	40	3	6.37	82	1.1	1.45	1.45	9.60	0.32	<0.02	0.04		<3	<3
07/06/2007	07-1310	30		6.51	84	1.8	1.56	1.51	10.10	0.32	0.03	0.09		<3	<3
08/06/2007	07-1311	40		6.60	84	2.4	1.61	1.58	10.49	0.34	0.03	0.11		<3	<3
09/06/2007	07-1356			7.06	88	<1	1.66	1.57	10.62	0.38	0.06	0.13		<3	<3
10/06/2007	07-1357			6.41	90	<1	1.76	1.52	10.66	0.36	0.06	0.15		<3	3
11/06/2007	07-1358			6.59	90	<1	1.89	1.60	11.30	0.38	0.06	0.15		<3	<3
12/06/2007	07-1359			6.68	87	<1	1.75	1.66	11.19	0.46	0.05	0.21		<3	3
13/06/2007	07-1360			6.69	87	<1	1.96	1.54	11.24	0.34	0.03	0.19		<3	<3
14/06/2007	07-1361			6.07	63	<1	1.14	1.07	7.25	0.23	0.03	0.11		<3	16
15/06/2007	07-1362			5.87	71	<1	1.29	1.24	8.32	0.19	0.02	0.08		<3	6
16/06/2007	07-1409	100	<2	6.48	75	1.3	1.40	1.32	8.94	0.26	0.08	0.09		6	10
17/06/2007	07-1410	100	<2	6.34	78	1.0	1.53	1.35	9.39	0.26	0.03	0.10		<3	<3

Date	Colour	TSS	Conductivity	Alkalinity	Ca	Mg	Hardness	K	N-NH3	N-NO3	Chloride	Sulphate	Ortho-P	Total-P
Sampled	Lab No	(Hazen units)	(mg/l)	pH	(uS/cm)	(mg/l CaCO3)	(mg/l)	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(ug/l)	(ug/l)
18/06/2007	07-1411	100	<2	6.38	79	1.5	1.40	1.38	9.19	0.28	0.03	0.10		<3
19/06/2007	07-1412	40	<2	6.51	91	2.5	1.73	1.66	11.17	0.34	0.03	0.14		<3
20/06/2007	07-1413	30	2	6.59	94	3.3	1.78	1.64	11.19	0.36	0.02	0.12		<3
23/06/2007	07-1480	>150		6.09	74	1.6	1.40	1.22	8.54	0.26	0.06	0.07		4
24/06/2007	07-1481	>150		5.96	64	<1	1.31	1.13	7.92	0.20	0.06	0.08		4
25/06/2007	07-1482			6.05	72	1.4	1.50	1.24	8.84	0.23	0.02	0.07		3
26/06/2007	07-1483	>150		6.18	75	1.4	1.21	1.40	8.79	0.27	0.03	0.07		<3
27/06/2007	07-1484	40		6.32	77	2.0	1.53	1.35	9.38	0.26	0.04	0.09		<3
28/06/2007	07-1485	100		6.39	77	2.1	1.46	1.38	9.32	0.25	0.02	0.11		<3
29/06/2007	07-1486	>150		6.24	70	1.8	1.03	1.25	7.69	0.21	0.03	0.11		<3
30/06/2007	07-1529	150	3	5.96	67	4.4	1.33	1.17	8.14	0.22	0.03	0.07		9
01/07/2007	07-1530	>150	7	6.15	68	2.6	1.26	1.22	8.15	0.32	0.56	0.05	85	109
02/07/2007	07-1531	>150	9	5.65	55	<1	0.97	0.91	6.16	0.25	0.03	0.04		<3
03/07/2007	07-1532	>150	2	5.70	61	<1	1.09	1.01	6.88	0.21	0.02	0.05		17
04/07/2007	07-1533	>150	<2	5.49	61	<1	1.03	1.04	6.85	0.19	0.02	0.05		9
05/07/2007	07-1534	>150	<2	5.83	65	<1	1.20	1.14	7.69	0.21	0.02	0.05		6
06/07/2007	07-1535	>150	<2	5.53	57	<1	0.99	1.03	6.71	0.18	0.02	0.04		10
07/07/2007	07-1576	70	2	7.75	67	<1	1.19	1.13	7.63	0.24	0.04	0.05		7
08/07/2007	07-1577	150	<2	7.29	68	<1	1.18	1.12	7.57	0.26	0.03	0.06		3
09/07/2007	07-1578	100	<2	6.96	67	<1	1.07	1.16	7.45	0.27	0.02	0.08		6
10/07/2007	07-1579	>150	<2	6.25	55	<1	0.94	0.94	6.20	0.22	0.03	0.03		11
11/07/2007	07-1580	>150	<2	6.22	64	<1	1.21	1.06	7.38	0.25	0.03	0.04		6
12/07/2007	07-1581	>150	<2	6.21	63	<1	1.09	1.06	7.11	0.23	0.02	0.06		5
13/07/2007	07-1582	100	<2	6.28	43	<1	1.05	1.09	7.11	0.24	0.03	0.05		5
14/07/2007	07-1642	>150	2	5.75	64	<1	1.26	1.20	8.08	0.25	0.04	0.05		7
15/07/2007	07-1643	70	<2	5.85	67	<1	1.26	1.32	8.59	0.28	0.04	0.09		6
16/07/2007	07-1644	>150	9	5.30	49	34	1.03	1.01	6.72	0.25	0.04	0.06	3	19
21/07/2007	07-1714	5	5	7.42	56	<1	1.14	1.33	8.33	0.34	0.15	0.07	7	17
22/07/2007	07-1715	>150	<2	7.36	53	1.9	1.22	1.18	7.92	0.23	0.04	0.07		7
23/07/2007	07-1716	>150	3	7.07	46	<1	1.31	1.27	8.52	0.29	0.05	0.08		7
24/07/2007	07-1717	>150	2	7.31	58	<1	1.29	1.31	8.63	0.26	0.06	0.11		4
25/07/2007	07-1718	>150	2	6.91	52	<1	1.26	1.19	8.03	0.27	0.04	0.09	10	29
26/07/2007	07-1719	>150	3	7.17	48	1.1	1.21	1.12	7.64	0.27	0.04	0.04	23	39
27/07/2007	07-1720	>150	<2	6.66	55	<1	1.31	1.18	8.11	0.22	0.02	0.06		8
28/07/2007	07-1799	7	7	6.98	54	3.0	1.24	1.22	8.11	0.19	0.03	0.07		5
29/07/2007	07-1800	>150	8	6.94	59	2.2	1.32	1.27	8.53	0.21	0.04	0.09		6
30/07/2007	07-1801	>150	7	6.91	59	2.3	1.39	1.35	9.02	0.21	0.03	0.12		4
31/07/2007	07-1802	100	2	6.74	60	2.7	1.31	1.28	8.54	0.27	0.05	0.15		5
01/08/2007	07-1803	50	10	6.89	60	3.1	1.22	1.10	7.57	0.22	0.04	0.17		5
02/08/2007	07-1804	3	3	6.66	54	3.0	1.27	1.12	7.79	0.23	0.05	0.11		7
03/08/2007	07-1805	>150	11	6.88	58	3.1	1.50	1.03	7.97	0.18	0.04	0.12		4
04/08/2007	07-1854	>150	5	5.86	57	1.9	1.25	1.16	7.90	0.37	0.10	0.07		7
05/08/2007	07-1855	>150	3	5.87	56	1.7	1.34	1.15	8.08	0.27	0.12	0.07	10	11
06/08/2007	07-1856	>150	7	5.92	54	1.5	1.15	1.07	7.27	0.27	0.06	0.05	3	15
07/08/2007	07-1857	>150	5	5.58	52	<1	1.16	0.99	6.97	0.22	0.06	0.02	3	11
08/08/2007	07-1858	>150	4	5.73	61	1.7	1.22	1.08	7.47	0.25	0.08	0.04	5	9
09/08/2007	07-1859	100	3	5.86	59	1.7	1.46	0.96	7.62	0.21	0.10	0.06	4	7
10/08/2007	07-1860	>150	7	5.86	58	1.6	1.16	1.11	7.46	0.24	0.10	0.09	5	10
11/08/2007	07-1916	>150	3	6.20	62	1.5	1.07	1.02	6.88	0.20	0.04	0.07		12
12/08/2007	07-1917	>150	5	6.41	51	1.2	0.88	0.79	5.43	0.22	0.04	0.05		15
13/08/2007	07-1918	>150	3	5.71	55	1.2	1.03	0.85	6.09	0.23	0.04	0.04		11
17/08/2007	07-1968	>150	6	6.13	47	1.3	0.90	0.78	5.46	0.20	0.07	0.09		19
18/08/2007	07-1969	>150	3	6.04	48	1.2	0.89	0.81	5.57	0.19	0.05	0.06		11
19/08/2007	07-1970	100	6	5.97	51	1.7	1.05	0.84	6.07	0.22	0.04	0.04		11
20/08/2007	07-1971	>150	3	5.92	51	1.5	0.98	0.87	6.03	0.22	0.03	0.05		11

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)
21/08/2007	07-1972	>150	<2	6.20	55	1.7	0.99	0.93	6.30	0.25	0.04	0.08		<3	6
25/08/2007	07-2013	>150	2	7.11	65	<1	1.16	1.22	7.92	0.33	0.05	0.19		<3	7
26/08/2007	07-2014	100	<2	6.96	67	3.3	1.27	1.20	8.09	0.29	0.05	0.19		3	7
27/08/2007	07-2015	70	2	6.78	68	3.4	1.36	1.20	8.33	0.27	0.04	0.19		<3	4
28/08/2007	07-2016	>150	2	6.74	69	3.6	1.36	1.31	8.80	0.30	0.03	0.19		<3	5
29/08/2007	07-2017	50	<2	6.72	70	3.6	1.34	1.31	8.75	0.30	0.04	0.27		<3	5
30/08/2007	07-2018	50	<2	6.73	70	3.7	1.54	1.34	9.36	0.31	0.03	0.23		3	5
31/08/2007	07-2019	>150		6.23	67	3.8									
01/09/2007	07-2093	>150	3	7.40	68	3.5	1.38	1.28	8.71	0.31	0.05	0.20		<3	3
02/09/2007	07-2094	>150	4	7.12	64	2.6	1.41	1.24	8.63	0.28	0.04	0.18		<3	5
03/09/2007	07-2095	>150	3	7.26	66	3.7	1.58	1.34	9.48	0.30	0.04	0.17		<3	<3
04/09/2007	07-2096	>150	<2	6.88	62	2.6	1.30	1.24	8.34	0.28	0.03	0.16		<3	4
05/09/2007	07-2097	>150	<2	6.75	65	3.2	1.54	1.21	8.84	0.27	0.04	0.16		<3	<3
06/09/2007	07-2098	>150	<2	6.62	68	3.4	1.55	1.29	9.20	0.32	0.03	0.20		<3	<3
07/09/2007	07-2099	>150	<2	6.64	68	3.0	1.57	1.30	9.25	0.30	0.02	0.27		<3	4
08/09/2007	07-2201	>150	2	6.45	72	3.9	1.99	1.42	10.81	0.36	<0.02	0.27		<3	5
09/09/2007	07-2202	>150	<2	6.59	73	4.3	2.07	1.42	11.01	0.38	0.02	0.25		<3	6
10/09/2007	07-2203	>150	<2	6.56	73	4.2	1.91	1.48	10.87	0.42	0.04	0.40		<3	8
11/09/2007	07-2204	>150	<2	6.64	73	4.4	1.72	1.52	10.55	0.44	0.02	0.41		3	8
12/09/2007	07-2205	>150	<2	6.63	75	4.9	2.25	1.56	12.05	0.43	<0.02	0.31		<3	5
13/09/2007	07-2206	>150	<2	6.66	72	4.5	1.96	1.51	11.09	0.45	0.02	0.40		<3	7
14/09/2007	07-2231	>150	<2	6.96	58	2.7	1.53	1.07	8.25	0.44	0.04	0.15		<3	15
15/09/2007	07-2232	>150	<2	6.37	70	4.3	2.37	1.40	11.68	0.43	0.03	0.23		<3	3
16/09/2007	07-2304	>150	<2	6.48	60	3.1	2.07	1.13	9.82	0.22	0.06	0.10		<3	5
17/09/2007	07-2305	>150	<2	6.33	60	2.1	1.29	0.94	7.09	0.07	0.03	0.12		<3	4
18/09/2007	07-2306	>150	<2	6.29	62	2.1	1.20	1.17	7.81	0.42	0.03	0.12		<3	4
19/09/2007	07-2307	>150	4	6.06	67	1.5	1.67	1.42	10.00	0.35	0.03	0.11		<3	6
20/09/2007	07-2308	>150	<2	6.32	66	1.9	1.39	1.29	8.79	0.33	0.02	0.15		<3	6
21/09/2007	07-2309	>150	<2	6.05	68	1.5	1.55	1.36	9.49	0.35	0.02	0.14		<3	6
22/09/2007	07-2310		<2	6.02	67	2.6	1.61	1.32	9.47	0.33	0.02	0.18		<3	3
28/09/2007	07-2400	>150		6.23	67	2.8	1.15	1.43	8.77	0.38	0.03	0.21		<3	5
29/09/2007	07-2401	>150		6.24	82	3.5	1.54	1.28	9.12	0.37	0.05	0.23		<3	5
30/09/2007	07-2402	>150		6.38	69	3.7	1.55	1.21	8.84	0.31	0.04	0.26		<3	4
01/10/2007	07-2403	>150		6.42	80	3.6	1.36	1.21	8.37	0.37	0.03	0.22		<3	10
06/10/2007	07-2456	>150	<2	7.27	67	3.9	1.44	1.23	8.66	0.36	0.5	0.16		4	9
07/10/2007	07-2457	>150	<2	7.12	67	3.5	1.61	1.28	9.31	0.31	0.03	0.18		<3	4
08/10/2007	07-2458	>150	3	6.72	55	1.9	1.14	1.01	7.02	0.35	0.04	0.12		<3	11
09/10/2007	07-2459	>150	<2	6.52	50	1.6	1.19	1.05	7.30	0.34	0.03	0.10		<3	7
10/10/2007	07-2460	>150	<2	6.49	61	2.2	1.23	1.07	7.50	0.32	0.03	0.12		<3	6
11/10/2007	07-2461	>150	<2	6.37	60	<1	1.28	1.13	7.86	0.32	0.03	0.14		<3	7
12/10/2007	07-2550			6.27	67	2.4	1.44	1.25	8.73	0.44	0.02	0.16		<3	7
13/10/2007	07-2551			6.34	66	2.4	1.44	1.28	8.89	0.54	0.02	0.15		<3	6
14/10/2007	07-2552			6.22	62	2.0	1.80	1.23	9.57	0.47	0.03	0.14		<3	9
15/10/2007	07-2553			5.97	58	1.3	1.46	1.14	8.33	0.46	0.03	0.10		<3	8
16/10/2007	07-2554			6.00	62	2.0	1.32	1.19	8.22	0.47	0.02	0.11		<3	6
17/10/2007	07-2555			6.05	65	1.7	1.40	1.26	8.67	0.42	0.02	0.14		<3	8
18/10/2007	07-2556			6.18	66	2.4	1.43	1.33	9.03	0.49	0.02	0.16		<3	5
19/10/2007	07-2594	70		6.45	64	2.7	1.54	1.40	9.61	0.43	0.03	0.17		<3	5
20/10/2007	07-2595	70		6.47	66	3.6	1.58	1.47	10.00	0.52	0.05	0.20		<3	7
21/10/2007	07-2596	150		6.46	60	2.6	1.46	1.32	9.08	0.50	0.03	0.18		<3	13
27/10/2007	07-2622	>150		5.65	53	1.3	1.12	1.06	7.18	0.44	0.05	0.10		<3	11
28/10/2007	07-2623	>150		5.60	47	1.0	0.91	0.86	5.80	0.54	0.03	0.07		3	17
29/10/2007	07-2624	>150		5.53	50	<1	0.93	0.92	6.10	0.47	0.03	0.08		<3	9
30/10/2007	07-2625	>150		5.74	55	1.1	1.06	1.02	6.85	0.47	0.03	0.10		<3	6
31/10/2007	07-2626	>150		5.82	57	<1	1.13	1.08	7.28	0.52	0.04	0.14		<3	5

Date		Colour	TSS	Conductivity	Alkalinity	Ca	Mg	Hardness			N-NH3	N-NO3	Chloride	Sulphate	Ortho-P	Total-P
Sampled	Lab No	(Hazen units)	(mg/l)	(uS/cm)	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l CaCO3)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(ug/l)	(ug/l)
03/11/2007	07-2690	150	<2	7.13	63	2.3	1.28	1.19	8.09	0.42	<0.02	0.19			<3	5
04/11/2007	07-2691	150	2	6.89	61	2.2	1.37	1.16	8.19	0.42	<0.02	0.20			<3	5
05/11/2007	07-2692	150	<2	7.21	62	2.3	1.49	1.17	8.53	0.41	<0.02	0.20			<3	4
06/11/2007	07-2693	150	<2	6.74	64	2.5	1.37	1.28	8.68	0.43	<0.02	0.21			<3	3
07/11/2007	07-2694	>150	<2	6.51	66	1.9	1.43	1.26	8.78	0.46	<0.02	0.20			<3	5
10/11/2007	07-2812	100	-	6.91	66	2.3	1.46	1.29	8.98	0.47	0.04	0.26			<3	3
11/11/2007	07-2813	70	-	6.77	66	2.8	1.50	1.29	9.05	0.48	0.06	0.28			<3	4
12/11/2007	07-2814	70	-	6.70	67	2.8	1.60	1.34	9.48	0.45	0.03	0.30			<3	<3
13/11/2007	07-2815	70	-	6.63	70	2.8	1.75	1.69	11.33	0.53	0.03	0.28			<3	<3
14/11/2007	07-2816	100	-	6.32	70	2.5	1.69	1.72	11.28	0.55	0.02	0.12			<3	<3
15/11/2007	07-2817	150	-	6.14	75	1.9	1.74	1.48	10.43	0.52	0.02	0.22			<3	4
16/11/2007	07-2818	100	-	6.05	71	2.9	1.67	1.39	9.90	0.47	0.03	0.24			<3	3
17/11/2007	07-2864	100	<2	5.66	71	2.2	1.98	1.42	10.78	0.61						14
18/11/2007	07-2865	>150	<2	5.57	65	<1	1.34	1.35	8.88	0.84	0.04	0.19			3	14
19/11/2007	07-2866	150	<2	5.53	57	<1	1.06	1.11	7.23	0.64	0.03	0.10			<3	7
25/11/2007	07-3010	>150	-	7.51	66	2.5	1.30	1.33	8.74	0.55	0.03	0.17			<3	9
26/11/2007	07-3011	>150	-	7.08	70	1.3	1.45	1.41	9.44	0.57	0.04	0.17			<3	3
27/11/2007	07-3012	>150	-	6.70	65	1.0	1.32	1.35	8.85	0.55	0.02	0.17			<3	<3
28/11/2007	07-3013	>150	-	6.17	53	<1	0.98	1.06	6.80	0.55	<0.02	0.11			<3	7
29/11/2007	07-3014	>150	-	5.99	52	<1	0.99	0.98	6.52	0.49	0.02	0.11			<3	5

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	pH	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)
-----------------	--------	----------------------------	---------------	----	-------------------------	-------------------------------	--------------	--------------	-----------------------------	-------------	-----------------	-----------------	--------------------	--------------------	-------------------	-------------------

Date Sampled	Lab No	Colour (Hazen units)	TSS (mg/l)	pH	Conductivity (uS/cm)	Alkalinity (mg/l CaCO3)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l CaCO3)	K (mg/l)	N-NH3 (mg/l)	N-NO3 (mg/l)	Chloride (mg/l)	Sulphate (mg/l)	Ortho-P (ug/l)	Total-P (ug/l)
-----------------	--------	----------------------------	---------------	----	-------------------------	-------------------------------	--------------	--------------	-----------------------------	-------------	-----------------	-----------------	--------------------	--------------------	-------------------	-------------------